Mathematical Ideas 13th Edition Miller Test Bank

Full

| thematical Ideas 13th Edition Miller Download: http://testbanklive.com/dov MULTIPLE CHOICE. Choose the one a | vnload/mathematical-ideas- | | |
|--|---------------------------------|-------------------------------|--------------------------------|
| List the elements in the set. | | | |
| 1) $\{x \mid x \text{ is a whole number between the set } x \in X \}$ | | | |
| A) {2, 3, 4} | B) {1, 2, 3, 4} | C) {1, 2, 3, 4, 5} | D) {2, 3, 4, 5} |
| Answer: A | | | |
| 2) {x \mid x is an integer between -8 | and -4} | | |
| A) {-8, -7, -6, -5, -4} | B) {-7, -6, -5} | C) {-8, -7, -6, -5} | D) {-7, -6, -5, -4} |
| Answer: B | | | |
| 3) {x \mid x is a negative multiple of | 5) | | |
| A) {-5, -10, -15,} | B) {5, 10, 15,} | C) {-5, -25, -125,} | D) {0, -5, -10,} |
| Answer: A | -) (-))) | -) (-)))) | _) (0) _ 0, _ 0,, |
| | | | |
| 4) $\{x \mid x \text{ is an integer greater than} \}$ | | | |
| | B) {-7, -8, -9,} | C) {-5, -4, -3, -2} | D) {-7, -8, -9} |
| Answer: A | | | |
| 5) The set of all whole numbers a | greater than 6 and less than 10 |) | |
| A) {6, 7, 8, 9, 10} | B) {6, 7, 8, 9} | C) {7, 8, 9, 10} | D) {7, 8, 9} |
| Answer: D | | | |
| 6) $(y \mid y)$ is a counting number m | ultiple of 2) | | |
| 6) {x x is a counting number m A) {4, 6, 8,} | B) Ø | C) {0, 2, 4, 6,} | D) {2, 4, 6,} |
| Answer: D | | c) (0, 2 , 1, 0,) | <i>D</i>) (<i>L</i>) 1) 0)) |
| | | | |
| 7) {x x is a counting number less $x = 1$ | | | |
| A) {-1, 0, 1,} | B) {, -5, -4, -3} | C) Ø | D) {-3, -4, -5,} |
| Answer: C | | | |
| 8) The set of all positive integer p | powers of 3. | | |
| A) {3, 9, 27, 81, 243,} | | B) {1, 8, 27, 64, 125,} | |
| C) {1, 3, 9, 27, 81, 243,} | | D) {3, 6, 9, 12, 15,} | |
| Answer: A | | | |
| 9) { x \mid x is an even integer small | er than 81 | | |
| A) {, -6, -4, -2, 2, 4, 6} | | B) {, -6, -4, -2, 0, 2, 4, 6} | |
| C) {2, 4, 6} | | D) {0, 2, 4, 6} | |
| Answer: B | | | |
| 10) The set of the days of the week | <i>,</i> | | |
| A) {Sunday, Monday, Tuesc | | | |
| Friday, Sunday} | | | |
| B) {Friday, Monday, Saturd | ay, Sunday, Thursday, | | |
| Tuesday, Wednesday} C) {Saturday, Sunday} | | | |
| D) {Tuesday, Junday} | | | |
| Answer: B | | | |
| | | | |

Write the set in set-builder notation.

11) {9} A) {x is a constant} B) { $x \mid x$ is the natural number 9} C) { $x \mid x \text{ is a natural number}$ } D) $\{x\}$ Answer: B 12) {2, 4, 6, 8} A) $\{x \mid x \text{ is an even natural number less than } 10\}$ B) { $x \mid x$ is any even integer less than 10} C) { $x \mid x \text{ is any even natural number}$ } D) {2, 4, 6, 8} Answer: A 13) {15, 16, 17, 18} A) {15, 16, 17, 18} B) { $x \mid x \text{ is an integer between 14 and 19}}$ C) { $x \mid x \text{ is an integer less than 19}$ D) $\{x \mid x \text{ is an integer between } 15 \text{ and } 18\}$ Answer: B 14) $\{-6, -5, -4, -3, ...\}$ A) $\{x \mid x \text{ is an integer between } -7 \text{ and } -2\}$ B) { $x \mid x \text{ is an integer greater than } -7$ } C) { $x \mid x \text{ is any integer}$ } D) {-6, -5, -4, -3} Answer: B 15) {..., -3, -2, -1, 0, 1, 2, 3, ...} A) $\{x \mid x \text{ is an integer}\}$ B) $\{-3, -2, -1, 0, 1, 2, 3\}$ C) { $x \mid x \text{ is any integer greater than } -3$ } D) { $x \mid x \text{ is a natural number}$ } Answer: A 16) {18, 24, 30, 36, ..., 78} A) $\{x \mid x \text{ is a multiple of } 6\}$ B) { $x \mid x \text{ is a multiple of 6 between 12 and 84}}$ C) $\{x \mid x \text{ is a multiple of 6 greater than 18}\}$ D) $\{x \mid x \text{ is a multiple of 6 between 18 and 78}\}$ Answer: B 17) {-3, -1, 1, 3, 5, ...} A) {x | x is an odd integer between -4 and 6} B) {x | x is an odd integer greater than -4} C) {x | x is an integer greater than -4} D) $\{x \mid x \text{ is an odd integer}\}$ Answer: B 18) {2, 4, 8, 16, 32, ...} A) $\{x \mid x \text{ is a positive integer power of } 2\}$ B) $\{x \mid x \text{ is a positive multiple of } 2\}$ D) {x | x is a positive multiple of 4} C) {x | x is an integer power of 2} Answer: A 19) The set of all calculus books A) {a calculus book} B) {x is a calculus book} C) $\{x \mid x \text{ is a calculus book}\}$ D) {any calculus book} Answer: C

| 20) The set of all cars owned by studentsA) {x is a student with a car}C) {x x is a student with a car} | | B) {x is a car} D) {x x is a car owned by a student} | |
|---|------------------|---|----------------|
| Answer: D | | | |
| Identify the set as finite or infinite. | | | |
| 21) {7, 8, 9,, 28} | | | |
| A) Infinite | | B) Finite | |
| Answer: B | | | |
| 22) $\left\{1, \frac{1}{4}, \frac{1}{16}, \frac{1}{64}, \ldots\right\}$ | | | |
| A) Finite | | B) Infinite | |
| Answer: B | | | |
| 23) {x x is a counting number lan A) Infinite | ger than 815} | B) Finite | |
| Answer: A | | | |
| 24) {x x is an odd counting num A) Finite | ber} | B) Infinite | |
| Answer: B | | | |
| 25) {x x is a 12-headed lizard} A) Infinite | | B) Finite | |
| Answer: B | | | |
| 26) {x x is a fraction between 60 A) Finite | and 61} | B) Infinite | |
| Answer: B | | | |
| 27) {x x is a prime number} A) Infinite Answer: A | | B) Finite | |
| 28) $\left\{ 1, \frac{2}{7}, \frac{4}{49}, \frac{8}{343}, \dots, \frac{32}{16807} \right\}$ A) Infinite Answer: B | | B) Finite | |
| Find n(A) for the set. | | | |
| 29) $A = \{0, 2, 4, 6, 8\}$ | | | |
| A) $n(A) = 8$ | B) $n(A) = 5$ | C) $n(A) = 4$ | D) $n(A) = 2$ |
| Answer: B | | | |
| 30) A = {200, 201, 202,, 2000} A) n(A) = 4 Answer: C | B) $n(A) = 2000$ | C) n(A) = 1801 | D) n(A) = 1800 |
| | | | |

| 31) $A = \{x \mid x \text{ is a month in the ye} A$ A) $n(A) = 24$ Answer: C | ar} B) n(A) = 52 | C) n(A) = 12 | D) n(A) = 1 |
|--|--|---------------------|---------------|
| 32) $A = \{x \mid x \text{ is a number on a clo} A$ A) $n(A) = 24$ Answer: C | bck face} B) $n(A) = 6$ | C) n(A) = 12 | D) n(A) = 3 |
| 33) $A = \{x \mid x \text{ is a second in a min} A$ A) n(A) = 60 Answer: A | ute} B) n(A) = Infinite | C) n(A) = 12 | D) n(A) = 120 |
| 34) A = {2, 2, 3, 3,, 6, 6} A) n(A) = 10 Answer: B | B) n(A) = 5 | C) n(A) = 6 | D) n(A) = 3 |
| 35) $A = \{-7, -6, -5,, 0\}$ A) $n(A) = 7$ Answer: D | B) n(A) = 1 | C) n(A) = 4 | D) $n(A) = 8$ |
| 36) A = $\left\{ \frac{1}{2}, \frac{1}{3}, \frac{1}{4}, \frac{1}{5},, \frac{1}{29}, \frac{1}{30} \right\}$ A) n(A) = Infinite Answer: C | B) n(A) = 31 | C) n(A) = 29 | D) n(A) = 30 |
| 37) A = $\begin{cases} \frac{1}{2}, -\frac{1}{2}, \frac{2}{3}, -\frac{2}{3}, \frac{3}{4}, -\frac{3}{4}, \dots \\ A \end{cases}$ n(A) = 38 Answer: A | $\left(\frac{19}{20}, -\frac{19}{20}\right)$ B) n(A) = Infinite | C) n(A) = 19 | D) n(A) = 40 |
| Determine whether or not the set is well 38) {x x is a tennis player who h A) Well defined Answer: A | | B) Not well defined | |
| 39) {x x is a low-fat ice cream} A) Well defined Answer: B | | B) Not well defined | |
| 40) {x x is a football team that ha A) Not well defined Answer: B | as won the Super Bowl} | B) Well defined | |
| 41) {x x is a adventure book in the A) Not well defined Answer: A | ne library} | B) Well defined | |

| 42) {x x is a stock on the AmEx today} A) Not well defined Answer: B | B) Well defined |
|--|---------------------|
| 43) {x x is an expensive boat on the Great Lakes} A) Not well defined Answer: A | B) Well defined |
| 44) {x x is a four-year college in Utah} A) Well defined Answer: A | B) Not well defined |
| | |
| Complete the blank with either ϵ or ϵ to make the statement true. 45) -5 _{{5, 7, 9,, 17} | D) - |
| A) ∉ Answer: A | B) ∈ |
| 46) 0 _ {-1, 1, 3, 12, 22} A) ∈ | B) ∉ |
| Answer: B | |
| 47) {7} _ {{4}, {5}, {6}, {7}, {8}} A) \in | B) ∉ |
| Answer: A | , |
| 48) 5 _ {10, 9, 8, 7} A) ∉ Answer: A | B) < |
| 49) 7 _ {6, 11, 5, 7, 15} A) \in Answer: A | B) ∉ |
| 50) 12 $_$ {10, 11, 12, 13} A) \in Answer: A | B) ∉ |
| 51) a _ {A, B, C,, Z} A) ∈ Answer: B | B) ∉ |
| 52) 7 _ {2, 3, 4,, 7} A) ∉ Answer: B | B) ∈ |
| 53) $\{6\} = \{7 - 3, 8 - 3, 9 - 3, 10 - 3\}$ A) \notin Answer: A | B) < |

| 54) 7 _ {8 + 5, 6 + 5, 4 + 5, 2 + 5} A) \in Answer: A | B) ∉ |
|--|----------|
| Tell whether the statement is true or false. 55) 10 ∈ {20, 30, 40, 50, 60} A) True Answer: B | B) False |
| 56) {4, 6, 13} = {0, 4, 6, 13} A) True Answer: B | B) False |
| 57) 17 ∉ {16, 14, 13,, 1} A) True Answer: A | B) False |
| 58) {8} = {x x is an even counting number between 10 and 16} A) True Answer: B | B) False |
| 59) {59, 60, 59, 60} = {59, 60} A) True Answer: A | B) False |
| 60) {2, 12, 28, 10, 31} = {31, 12, 10, 82, 2} A) True Answer: B | B) False |
| 61) {x x is a counting number greater than 35} = {35, 36, 37,} A) True Answer: B | B) False |
| 62) 13 ∉ {x x is an even counting number} A) True Answer: A | B) False |
| 63) k ∉ {p, a, k, h, v} A) True Answer: B | B) False |
| 64) {s, q, y, o, d} = {o, d, q, s, y} A) True Answer: A | B) False |

| Let $A = \{3, 5, 7, 9, 11, 13\}$ | |
|---|--------------|
| B = {3, 5, 9, 11} C = {5, 9, 13} | |
| 65) 13 ∉ C | |
| A) True | B) False |
| Answer: B | |
| 66) 9 ∈ B | |
| A) True | B) False |
| Answer: A | |
| 67) Every element of B is also an element of C. | |
| A) True | B) False |
| Answer: B | |
| 68) A = {x x is an odd counting number greater the formula of t | |
| A) True | B) False |
| Answer: A | |
| 69) 0 ∈ A | |
| A) True | B) False |
| Answer: B | |
| 70) Every element of C is also an element of A. | |
| A) True | B) False |
| Answer: A | |
| 71) {x \mid x is an odd counting number less than 15} = | = A |
| A) True | B) False |
| Answer: B | |
| 72) {13} ∈ B | |
| A) True | B) False |
| Answer: B | |
| Use ⊆ or ≰ in the blank to make a true statement. | |
| 73) {4, 6, 8} {3, 4, 5, 6, 8} | |
| A) ⊆ | B) ⊈ |
| Answer: A | |
| 74) {16, 23, 28} {14, 23, 28, 38} | |
| A) ⊈ | B) ⊆ |
| Answer: A | |
| 75) {e, d, j, h} {e, d, j, h, p} | |
| | P) < |
| A) ⊈ | B) ⊆ |

| 76) ∅ ∅ A) ⊆ Answer: A | | B) ⊈ | |
|---|------------------------------|------------------------|-----------------|
| 77) {1, 3, 5} {x x is an odd co A) ∉ Answer: B | unting number} | B) ⊆ | |
| 78) {k, m, i} {k, k, m, m, i, i} A) ⊆ Answer: A | | B) ⊄ | |
| 79) {x x is a counting number l A) ⊆ Answer: B | arger than 5} {7, 8, 9,} | B) ⊈ | |
| Decide whether ⊆, <, both, or neither c | an be placed in the blank to | make a true statement. | |
| 80) {11, 12, 13} {10, 11, 12, 13} A) < Answer: C | B) Neither | C) Both < and ⊆ | D) ⊆ |
| 81) ∅ {3, 19, 26, 32} A) Neither Answer: B | B) Both ⊂ and ⊆ | С) с | D) ⊆ |
| 82) {7, 8, 9} {7, 8, 9} A) < Answer: C | B) Neither | C) ⊆ | D) Both ⊂ and ⊆ |
| 83) {0} ∅ A) Both < and ⊆ Answer: C | B) c | C) Neither | D) ⊆ |
| 84) {a, b} {z, a, y, b, x, c} A) Both ⊂ and ⊆ Answer: A | B) ⊆ | C) Neither | D) c |
| 85) {s, r, t} {s, r, t} A) < Answer: D | B) Both ⊆ and ⊂ | C) Neither | D) ⊆ |

Determine whether the statement is true or false. Let $A = \{1, 3, 5, 7\}$ $\mathbf{B} = \{5, \, 6, \, 7, \, 8\}$ $C = \{5, 8\}$ $D = \{2, 5, 8\}$ $U = \{1, 2, 3, 4, 5, 6, 7, 8\}$ 86) C ⊂ D A) True B) False Answer: A 87) Ø ⊆ A B) False A) True Answer: A 88) {6, 5, 8, 7} ⊆ B A) True B) False Answer: A 89) D ⊆ B A) True B) False Answer: B 90) A ≠ {7, 5, 3, 1} A) True B) False Answer: B 91) {5} ⊆ D B) False A) True Answer: A 92) {0} ⊆ U A) True B) False Answer: B 93) {8, 5, 2} ⊂ D A) True B) False Answer: B 94) C ⊈ B B) False A) True Answer: B 95) C ⊈ A A) True B) False Answer: A

| Find the number of subsets of the set. | | | |
|--|--------------------------|--------|--------|
| 96) {9, 10, 11} A) 8 | B) 3 | C) 7 | D) 6 |
| Answer: A | | | |
| 97) {x x is an even number betw A) 5 | veen 19 and 31} B) 29 | C) 64 | D) 32 |
| Answer: C | | | |
| 98) {0} | | | |
| A) 2 | B) 0 | C) 4 | D) 1 |
| Answer: A | | | |
| 99) {mom, dad, son, daughter} | | | |
| A) 12 Answer: B | B) 16 | C) 8 | D) 14 |
| Aliswei. D | | | |
| 100) {math, English, history, sciend | | \sim | D) 22 |
| A) 16 Answer: D | B) 28 | C) 24 | D) 32 |
| miswei. D | | | |
| 101) {x x is a day of the week} A) 124 | B) 127 | C) 256 | D) 128 |
| Answer: D | | | |
| 102) {1, 2, 3,, 9} A) 512 | B) 1024 | C) 508 | D) 16 |
| Answer: A | | | |
| Find the number of proper subsets of 103) {12, 13, 14} | the set. | | |
| A) 6 | B) 7 | C) 5 | D) 2 |
| Answer: B | | | |
| 104) {x \mid x is an even number betw | veen 11 and 25} | | |
| A) 64 | B) 128 | C) 24 | D) 127 |
| Answer: D | | | |
| 105) {0} | | | |
| A) 0 | B) 1 | C) 2 | D) 4 |
| Answer: B | | | |
| 106) {car, boat, truck, train} A) 8 | B) 15 | C) 16 | D) 14 |
| Answer: B | , | -, | _ , |
| 107) {poetry, drama, speech, art, fi | | | |
| A) 24 | B) 16 | C) 31 | D) 32 |
| Answer: C | | | |

| 108) {x x is a day of the week} A) 128 Answer: C | B) 256 | C) 127 | D) 64 |
|---|------------------------|--|-----------------------|
| 109) {1, 2, 3,, 6} A) 58 Answer: B | B) 63 | C) 64 | D) 127 |
| Let U = {1, 2, 4, 5, a, b, c, d, e}. Find the o 110) T = {2, 4, b, d} A) {1, 3, 5, a, c, e} C) {1, 5, a, e} Answer: D | complement of the set. | B) {1, 2, 4, 5, a, b, c, d, e} D) {1, 5, a, c, e} | |
| 111) W = {1, 5, e, d, a} A) {2, 3, 4, a, b, c} Answer: B | B) {2, 4, b, c} | C) {2, 3, 4, b, c} | D) {1, 2, 4, b, c} |
| 112) V = {1, 2, 4, 5, a, b, c, e} A) {3, d} Answer: D | B) {u} | C) Ø | D) {d} |
| 113) T = {a, b, c, d} A) {e} Answer: C | B) {1, 2, 3, 4, 5, e} | C) {1, 2, 4, 5, e} | D) {1, 2, 4, 5} |
| 114) G = {a} A) {1, 2, 4, 5, b, c, d, e} C) {1, 2, 3, 4, 5, b, c, d, e} Answer: A | | B) {u, v} D) {1, 2, 5, b, c, d, e} | |
| 115) $P = \emptyset$ A) {0} Answer: C | B) Ø | C) U | D) ø' |
| 116) P = {a, b, d, e, 1, 2, 4, 5} A) \emptyset Answer: D | B) U | C) {c, 3} | D) {c} |
| 117) R = {1, 2, 5, b, d} A) {3, 4, a, c, e} Answer: C | B) {4, a, b, c, e} | C) {4, a, c, e} | D) {3, 4, a, b, c, e} |
| 118) T = U A) \varnothing Answer: A | B) {U – T'} | C) U | D) T |
| 119) P = {e, a, c, 4, 5} A) {1, 2, 3, b, d} Answer: C | B) {b, d, 1, 2, 3} | C) {1, 2, b, d} | D) {1, 2, b, c, d} |

The lists below show five agricultural crops in Alabama, Arkansas, and Louisiana.

| <u>Alabama</u> | <u>Arkansas</u> | <u>Louisiana</u> |
|----------------|-----------------|------------------|
| soybeans (s) | soybeans (s) | soybeans (s) |
| peanuts (p) | rice (r) | sugarcane (n) |
| corn (c) | cotton (t) | rice (r) |
| hay (h) | hay (h) | corn (c) |
| wheat (w) | wheat (w) | cotton (t) |

Let U be the smallest possible universal set that includes all of the crops listed, and let A, K and L be the sets of five crops in Alabama, Arkansas, and Louisiana, respectively. Find each of the following sets. 120) The set of crops in U

| 120) The set of crops in U. | | | |
|------------------------------------|--------------------|--------------------------------|--------------------------|
| A) {c, h, n, p, r, s, t, w} | | B) {s, p, c, w, r, t, n} | |
| C) {s, p, c, h, w, s, r, t, h, v | w, s, n, r, c, t} | D) {s, p, c, h, w, r, t, n, c} | |
| Answer: A | | | |
| 121) The set of crops in A'. | | | |
| A) {h, n, r, t} | B) {n, r, t} | C) {r, t} | D) {c, h, n, r, s, t, w} |
| Answer: B | | | |
| 122) The set of crops in both A a | nd K | | |
| A) {c, h, p, r, s, t, w} | B) {c, p, r, t} | C) {c, h, s, t, w} | D) {h, s, w} |
| Answer: D | | | |
| 123) The set of crops in both L a | nd K | | |
| A) {r, s, t} | B) {c, n, r, s, t} | C) {c, h, n, w} | D) {c, h, n, r, s, t, w} |
| Answer: A | | | |
| 124) The set of crops in both L a | nd K' | | |
| A) {h, w} | B) {c, n, p} | C) {r, s, t} | D) {c, n} |
| Answer: D | | | |
| 125) The set of crops in both A a | nd L' | | |
| A) {n, r, t} | B) {c, s} | C) {h, n, t, w} | D) {h, p, w} |
| Answer: D | | | |
| 126) The set of crops in both A' a | ind K' | | |
| A) {c, p, r, t} | B) {n} | C) {c, n, p, r, t} | D) Ø |
| Answer: B | | | |
| 127) The set of crops common to | A, K, and L | | |
| A) {c, h, n, p, r, s, t, w} | B) {n, p, s} | C) {n, p} | D) {s} |
| Answer: D | | | |
| 128) The set of crops in either A | or L or both | | |
| A) {h, n, p, r, t, w} | B) {c, n, p} | C) {c, h, n, p, r, s, t, w} | D) {c,s} |
| Answer: C | | | |

| 129) The set of crops in either A | or L or both | | |
|--|----------------------------|--------------------------|-----------------------------|
| A) {h, n, p, r, t, w} | B) {c, n, r, s, t} | C) {n, r, t} | D) {h, p, w} |
| Answer: B | | | |
| Solve the problem. | | | |
| 130) List all possible subsets of t | the set {m, n}. | | |
| A) {m}, {n} | | B) {m}, {n}, ∅ | |
| C) {m}, {n}, {m, n} | | D) {m}, {n}, {m, n}, ∅ | |
| Answer: D | | | |
| 131) List all possible proper sub | sets of the set {2, 6, 7}. | | |
| A) Ø, {2}, {6}, {7}, {2, 6}, {2 | 2, 7}, {6, 7} | B) {2}, {6}, {7}, {2, 6} | , {2, 7}, {6, 7}, {2, 6, 7} |
| C) \emptyset , {2}, {6}, {7}, {2, 6}, {2 | 2, 7}, {6, 7}, {2, 6, 7} | D) {2}, {6}, {7}, {2, 6} | , {2, 7}, {6, 7} |
| Answer: A | | | |
| | | | |

132) A committee is to be formed. Possible candidates for the committee are Eric, Frances, Greg, and Jose. Denoting these four people by e, f, g, j, list all possible committees of two people (ie list all possible subsets of size two).

B) $\{e, f\}, \{e, g\}, \{f, g\}, \{g, j\}$

D) {e, f}, {e, g}, {e, j}, {f, g}, {f, j}, {g, j}

A) {e, f}, {e, g}, {e, j}, {f, g}, {f, j}, {g, j}, {f, e}, {g, e} C) {e, f}, {e, g}, {e, j}, {f, j}, {g, j} Answer: D

133) A committee is to be formed. Possible candidates for the committee are Eric, Frances, Greg, and Jose. Denoting these four people by e, f, g, j, list all possible committees if the committee is to contain at least two people and may contain up to four people.

A) {e, f}, {e, g}, {e, j}, {f, g}, {f, j}, {g, j}, {e, f, g}, {e, f, j}, {f, g, j}, {e, f, g, j} B) {e, f}, {e, g}, {e, j}, {f, j}, {e, f, g}, {e, f, j}, {e, g, j}, {f, g, j}, {e, f, g, j} C) {e, f}, {e, g}, {e, j}, {f, g}, {f, j}, {g, j}, {e, f, g}, {e, f, j}, {e, g, j}, {f, g, j}, {e, f, g, j} D) {e, f}, {e, g}, {e, j}, {f, g}, {f, j}, {g, j}, {e, f, g}, {e, f, j}, {e, g, j}, {f, g, j}

Answer: C

134) An adventure travel company has reservations from four people (Lee, Maria, Nancy, and Pablo) for its white water rafting trip on June 1st. However the company knows that any of these people may fail to show up on the day of the trip. Denoting these four people by l, m, n, p, list all possibilities for the group of people who show up on June 1st for the rafting trip (ie list all possible subsets of {l, m, n, p}).

A) Ø, {l}, {m}, {n}, {p}, {l, m}, {l, n}, {m, n}, {m, p}, {n, p}, {l, m, n}, {l, m, p}, {l, n, p}, {m, n, p}

B) {l}, {m}, {n}, {p}, {l, m}, {l, n}, {l, p}, {m, n}, {m, p}, {n, p}, {l, m, n}, {l, m, p}, {m, n, p}, {m, n, l}, {l, m, n, p}

C) \emptyset , {1}, {m}, {n}, {p}, {l, m}, {l, n}, {l, p}, {m, n}, {m, p}, {n, p}, {l, m, n}, {l, m, p}, {m, n, p}, {l, m, n, p}, {m, n, p

 $D) \{l\}, \{m\}, \{n\}, \{p\}, \{l, m\}, \{l, n\}, \{l, p\}, \{m, n\}, \{m, p\}, \{n, p\}, \{l, m, n\}, \{l, m, p\}, \{l, n, p\}, \{m, n, p\}, \{l, m, n, p$

Answer: C

135) A committee is to be formed. Possible candidates for the committee are Anne, Daniel, Raul, Sarah, and Teresa. Denoting these five people by a, d, r, s, t, list all possible committees of three people (ie list all possible subsets of size three).

A) $\{a, d, r\}, \{a, d, s\}, \{a, d, t\}, \{a, r, s\}, \{a, r, t\}, \{a, s, t\}, \{d, r, s\}, \{d, r, t\}, \{d, s, t\}, \{r, s, t\}, \{d, a, r\}, \{s, t, d\}$

B) {a, d, r}, {a, d, s}, {a, d, t}, {a, r, s}, {d, r, s}, {d, r, t}, {d, s, t}, {r, s, t}

C) {a, d, r}, {a, d, s}, {a, d, t}, {a, r, s}, {a, r, t}, {a, s, t}, {d, r, s}, {d, r, t}, {d, s, t}, {r, s, t}

D) {a, d, r}, {a, d, s}, {a, d, t}, {a, r, s}, {a, r, t}, {a, s, t}, {d, r, t}, {d, s, t}, {r, s, t}

Answer: C

| List the elements in the set . Let $U = \{q, r, s, t, u, v, w, x, y, z\}$ $A = \{q, s, u, w, y\}$ $B = \{q, s, y, z\}$ $C = \{v, w, x, y, z\}.$ | | | |
|---|--------------|---|-----------------|
| 136) A ∪ C A) {q, s, u, v, w, x, y, z} C) {q, s, u, v, w, y, z} Answer: A | | B) {w, y} D) {q, s, u, w, y, v, w, x, y, t | z} |
| 137) B ∩ C A) {q, s, v, w, x, y, z} Answer: D | B) {y} | C) {w, y, z} | D) {y, z} |
| 138) A ∩ B' A) {r, s, t, u, v, w, x, z} C) {u, w} Answer: C | | B) {t, v, x} D) {q, s, t, u, v, w, x, y} | |
| 139) (A ∪ B)' A) {r, s, t, u, v, w, x, z} Answer: D | B) {s, u, w} | C) {t, v, x} | D) {r, t, v, x} |
| 140) (A ∩ B)' A) {s, u, w} C) {q, s, t, u, v, w, x, y} Answer: D | | B) {t, v, x} D) {r, t, u, v, w, x, z} | |
| 141) A' ∪ B A) {q, r, s, t, v, x, y, z} C) {r, s, t, u, v, w, x, z} Answer: A | | B) {s, u, w} D) {q, s, t, u, v, w, x, y} | |
| 142) C' ∪ A' A) {q, s, u, v, w, x, y, z} C) {w, y} Answer: B | | B) {q, r, s, t, u, v, x, z} D) {s, t} | |
| 143) C' ∩ A' A) {q, r, s, t, u, v, x, z} C) {q, s, u, v, w, x, y, z} Answer: D | | B) {w, y} D) {r, t} | |
| 144) C – A A) {w, y} Answer: B | B) {v, x, z} | C) {q, s, u, v, x, z} | D) {q, s, u} |

| 145) A' – C A) {q, s, u, v, x, z} Answer: B | B) {r, t} | C) {v, x, z} | D) {q, s, u} |
|--|--------------------|--|-----------------------|
| 146) A ∪ (B ∩ C) A) {q, w, y} Answer: C | B) {q, r, w, y, z} | C) {q, s, u, w, y, z} | D) {q, y, z} |
| 147) A ∩ (B ∪ C) A) {q, r, w, y, z} Answer: C | B) {q, y, z} | C) {q, s, w, y} | D) {q, s, u, w, y, z} |
| 148) (A' ∪ C) ∩ B' A) {v, x} Answer: D | B) {y, z} | C) {r, t, u, v, w, s, y, z} | D) {r, t, v, w, x} |
| 149) (B' ∩ C)' ∪ A A) {q, r, s, t, u, w, y, z} C) {q, r, s, t, u, v, w, x, y} Answer: A | | B) {q, s, u, v, w, x, y} D) {q, s, u, y} | |
| 150) (A ∪ B')' ∩ C' A) {v, w, x, y} Answer: B | B) Ø | C) {q, r, s, t, u, z} | D) {q, r, s, t, u} |
| 151) B ∩ (A – C) A) {q, s, u, y} C) {q, s} Answer: C | | B) {q, s, u, y, z} D) {q, r, s, t, u, v, w, x, y} | |
| 152) (A ∩ B') ∪ (B ∩ A') A) {u, w, z} Answer: A | B) {u, w, y, z} | C) {q, s, y} | D) {q, s, u, w, y, z} |

Let U = {all soda pops}, A = {all diet soda pops}, B = {all cola soda pops}, C = {all soda pops in cans}, and D = {all caffeine-free soda pops}. Describe the set in words.

| 153) A o B | |
|-----------------------------------|------------------------------------|
| A) All diet cola soda pops | B) All soda pops |
| C) All diet or all cola soda pops | D) All diet and all cola soda pops |
| Answer: A | |

154) A' ∩ C

A) All non-diet soda pops in cans

B) All diet soda pops in cans

C) All diet soda pops and all soda pops in cans

D) All non-diet soda pops and all soda pops in cans

Answer: A

155) $A \cap B \cap D$

A) All diet, caffeine-free cola pops in cans

B) All soda pops not in cans

C) All diet, caffeine-free cola soda pops

D) All diet and all cola and all caffeine-free soda pops

Answer: C

156) (A ∪ B) ∪ D

A) All diet or all cola or all caffeine-free soda pops

C) All diet, caffeine-free cola soda pops

Answer: A

157) (A \circ B) \circ C'

A) All non-diet, non-cola soda pops not in cans

C) All diet and all cola soda pops not in cans

Answer: D

B) All cola soda pops not in cans

D) All soda pops not in cans

B) All soda pops

D) All diet cola soda pops not in cans

158) (A ∪ D) ∩ C'

A) All non-cola soda pops not in cans

B) All non-diet, non-caffeine-free soda pops not in cans

C) All diet soda pops not in cans or all caffeine-free soda pops not in cans

D) All diet, caffeine-free soda pops not in cans

Answer: C

159) (A' ∩ B') ∪ C

A) All non-diet non-cola soda pops or all soda pops in cans

B) All non-diet soda pops and all non-cola soda pops in cans

C) All non-diet non-cola soda pops in cans

D) All non-diet non-cola soda pops and all soda pops not in cans

Answer: A

160) (A – D) \circ B

A) All diet caffeine-free cola soda pops

B) All non-diet, caffeine-free cola soda pops

C) All diet soda pops that contain caffeine and all cola soda pops

D) All diet cola soda pops that contain caffeine

Answer: D

161) $(B \cap C') \cup (C \cap B')$

A) All cola soda pops and all soda pops in cans

B) All cola soda pops in cans and all non-cola soda pops not in cans

C) All non-cola soda pops not in cans

D) All cola soda pops not in cans or all non-cola soda pops in cans

Answer: D

The lists below show five agricultural crops in Alabama, Arkansas, and Louisiana.

| <u>Alabama</u> | <u>Arkansas</u> | <u>Louisiana</u> |
|----------------|-----------------|------------------|
| soybeans (s) | soybeans (s) | soybeans (s) |
| peanuts (p) | rice (r) | sugarcane (n) |
| corn (c) | cotton (t) | rice (r) |
| hay (h) | hay (h) | corn (c) |
| wheat (w) | wheat (w) | cotton (t) |

Let U be the smallest possible universal set that includes all of the crops listed, and let A, K and L be the sets of five crops in Alabama, Arkansas, and Louisiana, respectively. Find each of the following sets.

| 162) A \circ K | 1 1 | Ũ | D (a m m t) |
|--|--------------------------|-----------------------------|--------------------------|
| A) {h, s, w} Answer: A | B) {c, h, s, t, w} | C) {c, h, p, r, s, t, w} | D) {c, p, r, t} |
| 163) L ∩ K A) {c, n, r, s, t} Answer: C | B) {c, h, n, w} | C) {r, s, t} | D) {c, h, n, r, s, t, w} |
| 164) K' ∩ L A) {r, s, t} Answer: C | B) {c, n, p} | C) {c, n} | D) {h, w} |
| 165) L' ∩ A A) {n, r, t} Answer: C | B) {h, n, t, w} | C) {h, p, w} | D) {c, s} |
| 166) A' ∩ K' A) {c, p, r, t} Answer: C | B) Ø | C) {n} | D) {c, n, p, r, t} |
| 167) A ∩ K ∩ L A) {c, h, n, p, r, s, t, w} Answer: B | B) {s} | C) {n, p} | D) {n, p, s} |
| 168) A ∪ L A) {h, n, p, r, t, w} Answer: C | B) {c, s} | C) {c, h, n, p, r, s, t, w} | D) {c, n, p} |
| 169) K ∪ L A) {c, h, n, w} Answer: B | B) {c, h, n, r, s, t, w} | C) {n, r, t} | D) {r, s, t} |
| 170) A' ∪ L A) {h, p, w} Answer: B | B) {c, n, r, s, t} | C) {h, n, p, r, t, w} | D) {n, r, t} |
| 171) L' ∪ K' A) {p} Answer: D | B) {r, s, t} | C) {c, h, p, s, w} | D) {c, h, n, p, w} |


Let A and B be sets with cardinal numbers, n(A) = a and n(B) = b, respectively. Decide whether the statement is true or false. 172) $n(A \cup B) = n(A) - n(B)$ B) False A) True Answer: B 173) n(A - B) = n(B - A)A) True B) False Answer: B 174) If $B \subseteq A$, n(B) = n(A - B). A) True B) False Answer: B 175) If $B \subseteq A$, n(B) = n(A) - n(A - B). B) False A) True Answer: A 176) $n(A \cap B) = n(B \cap A)$ A) True B) False Answer: A 177) $n(A \cup B) = n(A) + n(B) - n(A \cap B)$ B) False A) True Answer: A 178) $n(A \cap B) = n(A) - n(B)$ A) True B) False Answer: B 179) $n(A \cup B) + n(A \cap B) = n(A) + n(B)$ A) True B) False Answer: A Tell whether the statement is true or false. 180) $\{2, 9, 15\} = \{0, 2, 9, 15\}$ A) True B) False Answer: B 181) $\{53, 54, 53, 54\} = \{53, 54\}$ B) False A) True Answer: A 182) $\{5, 16, 25, 8, 35\} = \{35, 16, 8, 52, 5\}$ B) False A) True Answer: B 183) (17, 1) = (1, 17)A) True B) False Answer: B

| 184) (1 – 10, 10 – 15) = (-9, -5) A) True Answer: A | B) False | |
|--|--|--------------------|
| 185) (13 + 16, 12 + 16) = (13, 12) A) True Answer: B | B) False | |
| 186) {(3, 1), (0, 6), (-4, -2)} = {(-4, -2), (3, 1), (6, 0)} A) True Answer: B | B) False | |
| Find the Cartesian product. 187) $A = \{4, 6, 3\}$ $B = \{2, 6\}$ Find $A \times B$. A) $\{(2, 4), (2, 6), (2, 3), (6, 4), (6, 6), (6, 3)\}$ C) $\{(4, 2), (6, 3), (3, 2)\}$ Answer: B | B) {(4, 2), (4, 6), (6, 2), (6, 6 D) {(4, 2), (6, 6)} |), (3, 2), (3, 6)} |
| 188) $A = \{i, a\}$ $B = \{t, d, m\}$ Find $A \times B$. A) $\{(i, t), (i, d), (i, m), (a, t), (a, d), (a, m)\}$ C) $\{(i, t), (a, t), (i, d), (a, d)\}$ Answer: A | B) {(i, t), (t, a), (i, d), (d, a), D) {(t, i), (t, a), (d, i), (d, a), | |
| 189) $A = \{0\}$ $B = \{16, 26, 36\}$ Find $B \times A$. A) $\{(0, 16), (0, 26), (0, 36)\}$ C) $\{0\}$ Answer: D | B) {0, 0, 0} D) {(16, 0), (26, 0), (36, 0)} | |
| 190) A = {4, 2, 6, 8} B = {0, 1} Find B × A. A) {(4, 0), (2, 0), (6, 0), (8, 0), (4, 1), (2, 1), (6, 1), (8, 1)} B) {0, 1, 4, 2, 6, 8} C) {(0, 4), (0, 2), (0, 6), (0, 8), (1, 4), (1, 2), (1, 6), (1, 8)} D) {(4, 0), (4, 1), (2, 0), (2, 1)} | | |
| Answer: C | | |
| Find the indicated cardinal number. 191) Find $n(A \times B)$ given that $A = \{2\}$ and $B = \{1, 3\}$. A) 3 B) 1 | C) 2 | D) 4 |
| Answer: C | | |


| 192) Find n(A × C) given that A = { A) 3 Answer: A | 2} and C = {4, 5, 6}. B) 2 | C) 4 | D) 1 |
|--|---|-------|-------|
| 193) Find n(D × B) given that B = { A) 7 Answer: B | l, 3} and D = {7, 8, 9, 10}. B) 8 | C) 12 | D) 16 |
| 194) Find n(C × D) given that C = { A) 12 Answer: A | 4, 5, 6} and D = {7, 8, 9, 10}. B) 7 | C) 27 | D) 81 |
| 195) Find n(E), given that n(C × E) A) 6 Answer: A | = 18 and C = {4, 5, 6}. B) 54 | C) 3 | D) 9 |
| 196) Find n(F), given that n(B × F) = A) 6 Answer: D | = 18 and B = {1, 3}. B) 36 | C) 54 | D) 9 |
| 197) Find n(G), given that n(D × G) A) 24 Answer: B | e = 20 and D = {7, 8, 9, 10}. B) 5 | C) 4 | D) 9 |
| 198) Find n(A × B) given that n(A) A) 279 Answer: A | = 31 and n(B) = 9. B) 22 | C) 49 | D) 40 |
| 199) Find n(B) given that n(A × B) = A) 1 Answer: B | = 7 and n(A) = 1 . B) 7 | C) 6 | D) 8 |
| 200) Find n(A) given that n(A × B) A) 2 Answer: D | = 20 and n(B) = 2. B) 18 | C) 22 | D) 10 |

For the given sets, construct a Venn diagram and place the elements in the proper region.


201) Let $U = \{c, d, g, h, k, u, q\}$ $A = \{d, h, g, q\}$ $B = \{c, d, h, u\}$ u в A A) u g С d в A h q u k C) u С g d в A q h u









Answer: A










Answer: C

203) Let U = {c, e, g, f, n, m, t} A = {e, g, f, m} B = {c, e, g, t}







D)



Answer: A


204) U = {2, 4, 6, 8, 10, 12} A = {2, 6, 10} B = {2, 4, 8} C = {2, 8, 10, 12}










205) U = {a, b, c, d, e, f, g, h, i,j, k, l, m, n, o, p} $A = \{a, e, i, o\}$ $B = \{b, c, d, f, g, h, j, k, l, m\}$ $C = \{a, b, c, d, e, f, g\}$














Shade the regions representing the set. 206) $A^{\prime} \cap B^{\prime}$






Answer: A








Answer: D





Answer: A














Answer: B







D)




Answer: B







D)




Answer: B












Answer: B






D)




Answer: C




B)







Answer: A




Answer: A

Write a description of the shaded region using the symbols A, B, C, v, o, –, and ' as needed.








| 228) |) (A ∩ B) ⊆ B A) Not always true | | B) Always true | |
|----------|--|----------------------|--------------------|----------------|
| | Answer: B | | , , | |
| 229) | $(A \circ B)' = A' \cup B'$ A) Not always true Answer: B | | B) Always true | |
| 230) | $(A \cup B)' = A' \cup B'$ A) Not always true Answer: A | | B) Always true | |
| 231) | If $A \in B$, then $A \cup B = A$ A) Always true Answer: B | | B) Not always true | |
| 232) | If B ⊆ A, then A ∩ B = A A) Always true Answer: B | | B) Not always true | |
| 233) | A – A' = A A) Always true Answer: A | | B) Not always true | |
| 234) | $(A \cup (B \cap C)' = A \cup (B' \cup C')$ A) Not always true Answer: B | | B) Always true | |
| 235) | $A \circ (B \circ C) = (A \circ B) \circ C$ A) Always true Answer: B | | B) Not always true | |
| Describe | the conditions under which the | e statement is true. | | |
| 236) | $(A \circ B = A)$ A) $B = \emptyset$ Answer: B | B) A ⊆ B | C) B ⊆ A | D) Always true |
| 237) | $(A \cup \emptyset = U)$ A) $A = \emptyset$ Answer: D | B) Always true | C) A ≠ Ø | D) A = U |
| 238) | A ∪ B = B A) Always true Answer: C | B) $A = \emptyset$ | C) A ⊆ B | D) B ⊆ A |
| 239) | $A \circ A' = A$ $A) A = \emptyset$ Answer: A | B) A = U | C) A ≠ Ø | D) Always true |

| 240) A ∩ B' = A A) B ⊆ A Answer: D | B) Always true | C) B = ∅ | D) $A \cap B = \emptyset$ |
|--|----------------|--------------------|---------------------------|
| 241) $A \cup B = A$ A) $A \subseteq B$ Answer: D | B) Always true | C) $B = \emptyset$ | D) B ⊆ A |

Find the cardinal number of the set.


242) The numbers in the Venn Diagram below represent cardinalities.



Find $n(A \cup B)$.

| A) 48 | B) 24 | C) 4 | D) 52 |
|-----------|-------|------|-------|
| Answer: A | | | |


243) The numbers in the Venn Diagram below represent cardinalities.



Find $n(A \circ B')$.


A) 20 B) 4 C) 24 D) 28 Answer: C

244) The numbers in the Venn Diagram below represent cardinalities.




| Find $n(A' \cap B' \cap C)$ | | | |
|-----------------------------|-------|-------|-------|
| A) 13 | B) 14 | C) 21 | D) 27 |
| Answer: B | | | |


245) The numbers in the Venn Diagram below represent cardinalities.



246) The numbers in the Venn Diagram below represent cardinalities.








B) 23

C) 41

D) 12

249) Given:

Answer: C



B) 237


C) 247

D) 186

Answer: B


| 250) Given: | $n(A \cup B \cup C) = 69$ $n(A \cap B \cap C) = 10$ $n(A \cap B) = 22$ $n(A \cap C) = 19$ $n(B \cap C) = 17$ n(A) = 51 n(B) = 34 n(C) = 32 | | | |
|---|---|--|-----------------------|-------|
| Find n(A' o | | | | |
| U A | C B | | | |
| A) 7 | | B) 8 | C) 9 | D) 6 |
| Answer: A | | | | |
| 251) If n(A) = 5, A) 13 | $n(B) = 11 \text{ and } n(A \cap$ | ed set. Use the cardinal num B) = 3, what is n(A \circ B)? B) 16 | ber formula. C) 12 | D) 14 |
| Answer: A | | | | |
| 252) If n(A) = 40 A) 22 Answer: B | , n(B) = 117 and n(A | A ∪ B) = 137, what is n(A ∩ B)? B) 20 | C) 10 | D) 60 |
| 253) If n(B) = 24 A) 18 Answer: C | $n(A \cap B) = 5$, and n | (A ∪ B) = 42, find n(A). B) 21 | C) 23 | D) 25 |
| 254) If n(A) = 10 A) 25 Answer: D | , $n(A \cup B) = 28$, and | $n(A \circ B) = 6$, find $n(B)$. B) 23 | C) 18 | D) 24 |


Draw an appropriate Venn diagram and use the given information to fill in the number of elements in each region. 255) n(U) = 52, n(A) = 28, $n(A \circ B) = 4$, n(B') = 28



B) A = 4 U = 52D) A = 4 U = 52 U = 52U = 52


Answer: D







Answer: B

257) n(A') = 26, n(B) = 32, n(A \circ B) = 11, n(A' \circ B') = 35









Answer: A


258) n(A) = 30, n(B) = 28, n(C) = 35, $n(A \circ B) = 12$, $n(A \circ C) = 15$, $n(B \circ C) = 14$, n(U) = 67



Answer: B



260) n(A) = 35, $n(A \circ B') = 24$, $n(A \circ C) = 15$, $n(B \circ C) = 14$, $n(A' \circ B' \circ C') = 10$, $n(A \circ B \circ C) = 6$,



Answer: B

Solve the problem.

261) Mrs. Bollo's second grade class of thirty students conducted a pet ownership survey. Results of the survey indicate that 8 students own a cat, 15 students own a dog, and 5 students own both a cat and a dog. How many of the students surveyed own only a cat?

| A) 3 | B) 15 | C) 8 | D) 18 |
|-----------|-------|------|-------|
| Answer: A | | | |

262) Monticello residents were surveyed concerning their preferences for candidates Moore and Allen in an upcoming election. Of the 800 respondents, 300 support neither Moore nor Allen, 100 support both Moore and Allen, and 250 support only Moore. How many residents support only Allen?

A) 250
B) 100
C) 300
D) 150

Answer: D

| interv 255 w 34 we 119 w 204 w 85 we 51 we | ew show, or reruns of ere interested in an interested in an interested in an interested in an interested in reruns ere interested in reruns ere interested in an interested in an occur | a game show. There were 85 erview show and a documen erview show and reruns but r s but not an interview show. erview show but not a docum mentary and reruns. | 0 responses with t tary, but not rerun not a documentary. | S. | |
|--|--|---|---|--------|--|
| How 1 A) 4 | • | exactly one kind of show? B) 398 | C) 408 | D) 388 | |
| Answ | er: C | | | | |
| 59 had 46 ha 19 ha 63 had | rey of 160 families sho l a dog; d a cat; d a dog and a cat; l neither a cat nor a do l a cat, a dog, and a pa | og nor a parakeet; | | | |
| How 1 | nany had a parakeet o | nly? | | | |
| A) 2 | .1 | B) 26 | C) 16 | D) 11 | |
| Answ | er: D | | | | |
| 265) A survey of a group of 112 tourists was taken in St. Louis. The survey showed the following: 60 of the tourists plan to visit Gateway Arch; 46 plan to visit the zoo; 11 plan to visit the Art Museum and the zoo, but not the gateway Arch; 12 plan to visit the Art Museum and the Gateway Arch, but not the zoo; 16 plan to visit the Gateway Arch and the zoo, but not the Art Museum; 7 plan to visit the Art Museum, the zoo, and the Gateway Arch; 16 plan to visit none of the three places. | | | | | |
| How many plan to visit the Art Museum only? | | | | | |
| A) 4 | | B) 13 | C) 96 | D) 34 | |
| Answ | er: B | | | | |

Mathematical Ideas 13th Edition Miller Test Bank

Full Download: http://testbanklive.com/download/mathematical-ideas-13th-edition-miller-test-bank/

| 266) In a survey of 280 people | , a travel company as | ked people about places they pl | an to visit in the next 5 years. | | |
|---|---------------------------------|---------------------------------|----------------------------------|--|--|
| The results were as follow | vs: | | | | |
| 48 plan to visit Europe | | | | | |
| 58 plan to visit Latin America | | | | | |
| 34 plan to visit Asia | | | | | |
| 14 plan to visit Europe and Latin America | | | | | |
| 12 plan to visit Latin America and Asia | | | | | |
| 11 plan to visit Europe and Asia | | | | | |
| 4 plan to visit all three | | | | | |
| How many people plan t A) 18 | o visit exactly two of B) 29 | these places? C) 25 | D) 37 | | |
| Answer: C | | | | | |

267) A survey of 141 college students was done to find out what elective courses they were taking. Let A = the set of those taking art, B = the set of those taking basketweaving, and C = the set of those taking canoeing. The study revealed the following information.

 $\begin{array}{ll} n(A) = 45 & n(A \circ B) = 12 \\ n(B) = 55 & n(A \circ C) = 15 \\ n(C) = 40 & n(B \circ C) = 23 \\ n(A \circ B \circ C) = 2 \end{array}$

How many students were not taking any of these electives? A) 59 B) 51 C) 10 D) 49

Answer: D