

Ch02

Multiple Choice Questions

1. In addition to investigations with bacteria that led to him being considered the Father of Microbiology, Pasteur also
 - A. found that some molecules can exist as stereoisomers.
 - B. created aspartame.
 - C. separated organic acids using a microscope.
 - D. discovered polarized light.
 - E. found that some molecules can exist as stereoisomers AND separated organic acids using a microscope.

2. The negatively charged component of the atom is the
 - A. proton.
 - B. nucleus.
 - C. neutron.
 - D. electron.

3. The part of the atom that is most involved in chemical reactivity is the

- A. proton.
- B. neutron.
- C. electron.
- D. nucleus.

4. Electrons

- A. are found in areas outside the nucleus known as orbitals.
- B. may gain or lose energy.
- C. may move from one orbital to another.
- D. are located farthest from the nucleus and have the least energy.
- E. are found in areas outside the nucleus known as orbitals, may gain or lose energy, and may move from one orbital to another.

5. The atomic number for an atom of a specific element is equal to

- A. the number of electrons in a single atom of that element.
- B. the number of electrons plus neutrons in a single atom of that element.
- C. the number of protons in a single atom of that element.
- D. the number of neutrons and protons in a single atom of that element.

6. Sharing of electrons between 2 atoms forms a(n)

A. hydrogen bond.

B. ionic bond.

C. covalent bond.

D. strong bond.

E. covalent bond AND strong bond.

7. If electrons are gained or lost in the formation of a bond, the bond is termed

A. covalent.

B. hydrogen.

C. ionic.

D. nonpolar.

8. Charged atoms are termed

A. ions.

B. neutrons.

C. molecules.

D. polymers.

9. Water

- A. is a polar molecule.
- B. is referred to as a universal solvent.
- C. makes up over 70% (by wt.) of an organism.
- D. is often a product or reactant in chemical reactions.
- E. All of the choices are correct.

10. pH

- A. is a measure of the hydrogen ion concentration.
- B. utilizes a scale from 5 to 8.
- C. is a linear (not logarithmic) scale.
- D. is an abbreviation for, "power of helium".
- E. is a measure of the hydrogen ion concentration, utilizes a scale from 5 to 8 AND is a linear (not logarithmic) scale.

11. The subunits (building blocks) of proteins are

- A. nucleotides.
- B. phospholipids.
- C. amino acids.
- D. carbohydrates.

12. If the side chains of amino acids contain carboxyl (-COOH) groups, they

- A. contribute a positive charge to the amino acid at pH 10.
- B. contribute a negative charge to the amino acid at pH 10.
- C. have no effect on the charge of the amino acid at pH 10.
- D. are considered acidic amino acids.
- E. contribute a negative charge to the amino acid at pH 10 AND are considered acidic amino acids.

13. Amino acids that contain many methyl (-CH_3) groups

- A. are considered hydrophilic.
- B. are nonpolar.
- C. carry a positive charge.
- D. carry a negative charge.
- E. are considered hydrophilic AND carry a positive charge.

14. D-amino acids are associated with

- A. radioactive isotopes.
- B. human proteins.
- C. plant proteins.
- D. bacterial cell walls.

15. The most important feature of a protein is its

- A. secondary structure.
- B. side group.
- C. shape.
- D. electric charge.

16. The helices and sheets of amino acids form a protein's

- A. primary structure.
- B. secondary structure.
- C. tertiary structure.
- D. quaternary structure.

17. Acidic or basic amino acids are

- A. readily soluble in water.
- B. readily soluble in lipids.
- C. able to form ions.
- D. considered hydrophilic.
- E. readily soluble in water, able to form ions AND considered hydrophilic.

18. The N terminal in a protein

- A. is the end characterized by a free carboxyl group.
- B. is the end characterized by a free amino group.
- C. is typically found in the middle of a protein.
- D. refers to that area of a protein that is bound to another protein.

19. Protein denaturation can

- A. occur due to certain chemicals.
- B. occur due to pH changes.
- C. occur due to high temperature.
- D. cause the protein to no longer function.
- E. All of the choices are correct.

20. Which is true of carbohydrates?

- A. They may be part of the structure of bacteria.
- B. They may serve as a source of food.
- C. They contain carbon, hydrogen and oxygen in a 1:2:1 ratio.
- D. They may be bonded to proteins to form glycoproteins.
- E. All of the choices are correct.

21. Carbohydrates

- A. form only ring structures.
- B. form only linear structures.
- C. may interconvert between ring and linear structures.
- D. contain both ring and linear portions within the same molecule.

22. Structural isomers

- A. contain the same number of atoms/elements, but in different arrangements.
- B. are exemplified by glucose and galactose.
- C. are formed by different arrangements of the -COOH groups.
- D. may be referred to as the -D and -L forms.
- E. contain the same number of atoms/elements, but in different arrangements AND are exemplified by glucose and galactose.

23. What type of bonding holds one strand of DNA to the complementary strand of DNA?

- A. covalent
- B. hydrogen
- C. disulfide
- D. ionic

24. The sugars found in nucleic acids consist of

- A. 3 carbon atoms.
- B. 5 carbon atoms.
- C. 7 carbon atoms.
- D. 9 carbon atoms.

25. Which of the following is found in RNA but not in DNA?

- A. adenine
- B. ribose
- C. thymine
- D. uracil
- E. ribose AND uracil

26. Which shows the incorrect complementary base pairing?

- A. A:T
- B. G:C
- C. G:T
- D. A:U
- E. A:T, G:C AND A:U

27. The components of fats are fatty acids and

- A. amino acids.
- B. nucleotides.
- C. phosphate.
- D. glycerol.
- E. All of the choices are correct.

28. In general, when saturated fats are compared to unsaturated fats (assuming the same number of carbon atoms in the molecule)

- A. they have about the same melting temperature.
- B. saturated fats have a lower melting temperature.
- C. unsaturated fats have a lower melting temperature.
- D. No generalizations can be made since melting temperature is strongly influenced by other factors.

True / False Questions

29. If you placed the molecule in a vertical orientation, then from top to bottom, the two parallel strands of DNA are both oriented in the same, 5' to 3', direction.

True False

30. RNA is a long double-stranded helix containing ribose and uracil.

True False

31. Lipids, like nucleic acids and proteins, are made of strings of similar subunits.

True False

32. Steroids are simple lipids.

True False

33. Water soluble substances easily pass through the phospholipid bilayer of a cell membrane.

True False

Multiple Choice Questions

34. The positively charged component of the atom is the

A. electron.

B. neutron.

C. proton.

D. quark.

35. The uncharged component of the atom is the

- A. electron.
- B. proton.
- C. neutron.
- D. muon.

36. Which determines the chemical and physical properties of an atom of an element?

- A. electron
- B. neutron
- C. atomic weight
- D. atomic number

37. The atom, as a whole, is uncharged because

- A. the number of protons equals the number of neutrons.
- B. the number of electrons equals the number of neutrons.
- C. neutrons neutralize the charges.
- D. the number of protons equals the number of electrons.

38. The atomic weight is equal to

- A. the number of electrons.
- B. the number of electrons plus neutrons.
- C. the number of protons.
- D. the number of neutrons and protons.

39. If electrons are shared unequally, this forms a(n)

- A. weak bond.
- B. nonpolar bond.
- C. polar bond.
- D. ionic bond.

40. Atoms that gain electrons are now

- A. positively charged.
- B. negatively charged.
- C. neutral.
- D. lighter.

41. Which of these bonds are weak individually but are much stronger as a group?

- A. covalent
- B. ionic
- C. neutron
- D. hydrogen
- E. ionic AND hydrogen

42. The most important molecule(s) in the world is(are)

- A. water.
- B. protein.
- C. carbohydrates.
- D. nucleic acids.

43. The energy storage form of ATP

- A. contains deoxyribose.
- B. contains ribose.
- C. contains a pyrimidine base.
- D. readily releases energy by breaking the bond between the base and the sugar.
- E. contains deoxyribose, contains a pyrimidine base AND readily releases energy by breaking the bond between the base and the sugar.

44. How many different amino acids are there to choose from when assembling a protein?

- A. 5
- B. 10
- C. 20
- D. 25

45. If the side chains of amino acids contain the ammonium ion, they readily form ions that

- A. are described as acidic amino acids.
- B. give positive electric charges to the amino acid.
- C. are described as basic amino acids.
- D. react with lipids to form lipoproteins.
- E. give positive electric charges to the amino acid AND are described as basic amino acids.

46. L-amino acids occur in proteins and are designated

- A. unnatural.
- B. natural.
- C. rare.
- D. left handed.
- E. natural AND left handed.

47. Amino acids in proteins are linked to one another by peptide bonds between the

- A. methyl group of one amino acid and a side group of another amino acid.
- B. carbon atoms of two adjacent amino acids.
- C. carboxyl group of one amino acid and the amino group of another.
- D. nitrogen atom and carboxyl ion.

48. The primary structure in a protein

- A. refers to the helical folding of a protein.
- B. refers to two or more polypeptides linked to one another.
- C. refers to the sequence of amino acids.
- D. refers to the initial folding of a protein.

49. Side chains are important to proteins because they

- A. help determine protein shape.
- B. help determine the degree of solubility of the protein in water.
- C. are a source of energy for hydration reactions in the cell.
- D. form the peptide bonds which link amino acids to one another.
- E. help determine protein shape AND help determine the degree of solubility of the protein in water.

50. A protein

- A. assumes any number of equally functional shapes.
- B. may need help, in the form of chaperones, to assume the correct shape.
- C. consists of a string of hydroxyl acids.
- D. is always polar.
- E. assumes any number of equally functional shapes AND may need help, in the form of chaperones, to assume the correct shape.

51. Weak bonds are important for the _____ structure of proteins.

- A. primary
- B. secondary
- C. tertiary
- D. quaternary
- E. secondary, tertiary AND quaternary

52. Proteins

- A. are involved in almost every important function performed by a cell.
- B. comprise more than 50% of the dry weight of a cell.
- C. are composed of a string of nucleotides.
- D. are characterized by a 1:2:1 ratio of carbon to hydrogen to oxygen.
- E. are involved in almost every important function performed by a cell AND comprise more than 50% of the dry weight of a cell.

53. The carbohydrate(s) found in nucleic acids is/are

- A. ribose.
- B. glucose.
- C. galactose.
- D. deoxyribose.
- E. ribose AND deoxyribose.

54. The -OH group in a carbohydrate

- A. may be found above or below the plane of the ring.
- B. is involved in the formation of stereoisomers.
- C. is involved when linking monosaccharides together.
- D. All of the choices are true.

55. Dehydration reactions are involved in

- A. the formation of polypeptides.
- B. the formation of polysaccharides.
- C. the formation of monosaccharides.
- D. the formation of nucleotides.
- E. the formation of polypeptides AND the formation of polysaccharides.

56. Which is true of nucleotides?

- A. They are the building blocks of DNA.
- B. They carry chemical energy in their bonds.
- C. They are part of certain enzymes.
- D. They serve as specific signaling molecules.
- E. All of the choices are true.

57. The purines of DNA are

- A. adenine and guanine.
- B. thymine and adenine.
- C. serine and threonine.
- D. thymine and uracil.
- E. thymine and adenine AND thymine and uracil.

58. The end of the nucleic acid chain that grows by adding more nucleotides is always the

- A. 5 prime end.
- B. C terminal.
- C. N terminal.
- D. 3 prime end.

59. The characteristic common to all lipids is their

- A. solubility in organic solvents.
- B. hydrophilic nature.
- C. large size.
- D. hydrophobic nature.
- E. solubility in organic solvents AND hydrophobic nature.

60. Which is(are) true of lipids?

- A. They are a major structural element of all cell membranes.
- B. They act as gatekeepers of the cell.
- C. They demark the inside vs. the outside of the cell.
- D. They are a heterogeneous group of molecules.
- E. All of the choices are correct.

True / False Questions

61. As DNA is always double-stranded, RNA is always single-stranded.

True False

62. Lipids are polar, hydrophilic molecules.

True False

63. Simple lipids contain carbon, hydrogen, and oxygen in a 1:2:1 ratio.

True False

64. Phospholipids are nonpolar molecules.

True False

65. Unsaturated fats have lower melting points than saturated fats.

True False

Multiple Choice Questions

66. Microorganisms use hydrogen bonds to attach themselves to the surfaces that they live upon.

Many of them lose hold of the surface because of the weak nature of these bonds and end up dying or being washed away. Why don't microbes just use covalent bonds instead?

- A. Covalent bonds are always permanent bonds-the microbes could never get OFF their surface if they used them.
- B. Covalent bonds depend on completely giving up or completely accepting an electron to form the bond. This isn't possible for many microbes without dramatically altering their basic molecular composition.
- C. Covalent bonds typically require enzymes to form/break, whereas hydrogen bonds don't. If covalent bonds were used, it would require much more energy and molecules to be contributed from the cell. Hydrogen bonds don't have these requirements.
- D. Covalent bonds may have more specific and stringent requirements for what atoms can bond with what. This makes for stronger bonds, but also decreases the overall potential for bonds that could readily be created between the microbe and its desired surface.
- E. C and D

67. A biologist determined the amounts of several amino acids in two separate samples of pure protein. His data stated that Protein A possessed: 7% leucine, 12% alanine, 4% histidine, 2% cysteine, and 5% glycine. Interestingly, Protein B had the same percentages of each of the same amino acids. He concluded, from this data, that Proteins A and B are the same protein. Based on this information and his conclusion, determine which of the following is the correct statement regarding his findings:

- A. He is correct-they have the same percentages of each amino acid, so they are identical protein molecules.
- B. He is incorrect-while they may possess the same percentages of each amino acid, his findings say nothing about the order in which the amino acids are put together. The order will dictate the overall structure of the protein, so the two could be very different in shape-even though the amino acid totals are the same.
- C. He is correct-order of the amino acids is irrelevant. It's only the total number of each molecule that is important to structure.
- D. He is incorrect-he hasn't accounted at all for the effects of pH on the composition of the protein and its effects on the individual amino acids.

Multiple Choice Questions

1. In addition to investigations with bacteria that led to him being considered the Father of Microbiology, Pasteur also
- A. found that some molecules can exist as stereoisomers.
 - B. created aspartame.
 - C. separated organic acids using a microscope.
 - D. discovered polarized light.
 - E. found that some molecules can exist as stereoisomers AND separated organic acids using a microscope.

Bloom's Level: 1. Remember

Learning Outcome: 02.01

Section: 02.01

Topic: Chemistry

2. The negatively charged component of the atom is the
- A. proton.
 - B. nucleus.
 - C. neutron.
 - D. electron.

Bloom's Level: 1. Remember

Learning Outcome: 02.01

3. The part of the atom that is most involved in chemical reactivity is the

- A. proton.
- B. neutron.
- C. electron.
- D. nucleus.

Bloom's Level: 2. Understand
Learning Outcome: 02.01
Section: 02.01
Topic: Chemistry

4. Electrons

- A. are found in areas outside the nucleus known as orbitals.
- B. may gain or lose energy.
- C. may move from one orbital to another.
- D. are located farthest from the nucleus and have the least energy.
- E. are found in areas outside the nucleus known as orbitals, may gain or lose energy, and may move from one orbital to another.

Bloom's Level: 1. Remember
Learning Outcome: 02.01
Section: 02.01
Topic: Chemistry

5. The atomic number for an atom of a specific element is equal to
- A. the number of electrons in a single atom of that element.
 - B. the number of electrons plus neutrons in a single atom of that element.
 - C. the number of protons in a single atom of that element.
 - D. the number of neutrons and protons in a single atom of that element.

Bloom's Level: 1. Remember

Learning Outcome: 02.01

Section: 02.01

Topic: Chemistry

6. Sharing of electrons between 2 atoms forms a(n)
- A. hydrogen bond.
 - B. ionic bond.
 - C. covalent bond.
 - D. strong bond.
 - E. covalent bond AND strong bond.

Bloom's Level: 2. Understand

Learning Outcome: 02.03

Section: 02.02

Topic: Chemistry

7. If electrons are gained or lost in the formation of a bond, the bond is termed

- A. covalent.
- B. hydrogen.
- C. ionic.
- D. nonpolar.

Bloom's Level: 2. Understand

Learning Outcome: 02.03

Section: 02.02

Topic: Chemistry

8. Charged atoms are termed

- A. ions.
- B. neutrons.
- C. molecules.
- D. polymers.

Bloom's Level: 1. Remember

Learning Outcome: 02.03

Section: 02.02

Topic: Chemistry

9. Water

- A. is a polar molecule.
- B. is referred to as a universal solvent.
- C. makes up over 70% (by wt.) of an organism.
- D. is often a product or reactant in chemical reactions.
- E. All of the choices are correct.

Bloom's Level: 2. Understand

Learning Outcome: 02.05

Section: 02.03

Topic: Chemistry

10. pH

- A. is a measure of the hydrogen ion concentration.
- B. utilizes a scale from 5 to 8.
- C. is a linear (not logarithmic) scale.
- D. is an abbreviation for, "power of helium".
- E. is a measure of the hydrogen ion concentration, utilizes a scale from 5 to 8 AND is a linear (not logarithmic) scale.

Bloom's Level: 2. Understand

Learning Outcome: 02.06

Section: 02.03

Topic: Chemistry

11. The subunits (building blocks) of proteins are

- A. nucleotides.
- B. phospholipids.
- C. amino acids.
- D. carbohydrates.

Bloom's Level: 1. Remember

Learning Outcome: 02.10

Section: 02.04

Topic: Chemistry

12. If the side chains of amino acids contain carboxyl (-COOH) groups, they

- A. contribute a positive charge to the amino acid at pH 10.
- B. contribute a negative charge to the amino acid at pH 10.
- C. have no effect on the charge of the amino acid at pH 10.
- D. are considered acidic amino acids.
- E. contribute a negative charge to the amino acid at pH 10 AND are considered acidic amino acids.

Bloom's Level: 3. Apply

Learning Outcome: 02.10

Section: 02.04

Topic: Chemistry

13. Amino acids that contain many methyl (-CH₃) groups

- A. are considered hydrophilic.
- B. are nonpolar.
- C. carry a positive charge.
- D. carry a negative charge.
- E. are considered hydrophilic AND carry a positive charge.

Bloom's Level: 3. Apply

Learning Outcome: 02.10

Section: 02.04

Topic: Chemistry

14. D-amino acids are associated with

- A. radioactive isotopes.
- B. human proteins.
- C. plant proteins.
- D. bacterial cell walls.

Bloom's Level: 1. Remember

Learning Outcome: 02.10

Section: 02.04

Topic: Chemistry

15. The most important feature of a protein is its

- A. secondary structure.
- B. side group.
- C. shape.
- D. electric charge.

Bloom's Level: 2. Understand

Learning Outcome: 02.11

Section: 02.04

Topic: Chemistry

16. The helices and sheets of amino acids form a protein's

- A. primary structure.
- B. secondary structure.
- C. tertiary structure.
- D. quaternary structure.

Bloom's Level: 1. Remember

Learning Outcome: 02.11

Section: 02.04

Topic: Chemistry

17. Acidic or basic amino acids are

- A. readily soluble in water.
- B. readily soluble in lipids.
- C. able to form ions.
- D. considered hydrophilic.
- E. readily soluble in water, able to form ions AND considered hydrophilic.

Bloom's Level: 2. Understand

Learning Outcome: 02.10

Section: 02.04

Topic: Chemistry

18. The N terminal in a protein

- A. is the end characterized by a free carboxyl group.
- B. is the end characterized by a free amino group.
- C. is typically found in the middle of a protein.
- D. refers to that area of a protein that is bound to another protein.

Bloom's Level: 1. Remember

Learning Outcome: 02.10

Section: 02.04

Topic: Chemistry

19. Protein denaturation can

- A. occur due to certain chemicals.
- B. occur due to pH changes.
- C. occur due to high temperature.
- D. cause the protein to no longer function.
- E. All of the choices are correct.

Bloom's Level: 2. Understand

Learning Outcome: 02.11

Section: 02.04

Topic: Chemistry

20. Which is true of carbohydrates?

- A. They may be part of the structure of bacteria.
- B. They may serve as a source of food.
- C. They contain carbon, hydrogen and oxygen in a 1:2:1 ratio.
- D. They may be bonded to proteins to form glycoproteins.
- E. All of the choices are correct.

Bloom's Level: 2. Understand

Learning Outcome: 02.12

Section: 02.05

Topic: Chemistry

21. Carbohydrates

- A. form only ring structures.
- B. form only linear structures.
- C. may interconvert between ring and linear structures.
- D. contain both ring and linear portions within the same molecule.

Bloom's Level: 2. Understand

Learning Outcome: 02.13

Section: 02.05

Topic: Chemistry

22. Structural isomers

- A. contain the same number of atoms/elements, but in different arrangements.
- B. are exemplified by glucose and galactose.
- C. are formed by different arrangements of the -COOH groups.
- D. may be referred to as the -D and -L forms.
- E. contain the same number of atoms/elements, but in different arrangements AND are exemplified by glucose and galactose.

Bloom's Level: 3. Apply

Learning Outcome: 02.13

Section: 02.05

Topic: Chemistry

23. What type of bonding holds one strand of DNA to the complementary strand of DNA?

- A. covalent
- B. hydrogen**
- C. disulfide
- D. ionic

Bloom's Level: 2. Understand

Learning Outcome: 02.14

Section: 02.06

Topic: Chemistry

24. The sugars found in nucleic acids consist of

- A. 3 carbon atoms.
- B. 5 carbon atoms.**
- C. 7 carbon atoms.
- D. 9 carbon atoms.

Bloom's Level: 1. Remember

Learning Outcome: 02.14

Section: 02.06

Topic: Chemistry

25. Which of the following is found in RNA but not in DNA?

- A. adenine
- B. ribose
- C. thymine
- D. uracil
- E. ribose AND uracil

Bloom's Level: 2. Understand

Learning Outcome: 02.14

Section: 02.06

Topic: Chemistry

26. Which shows the incorrect complementary base pairing?

- A. A:T
- B. G:C
- C. G:T
- D. A:U
- E. A:T, G:C AND A:U

Bloom's Level: 3. Apply

Learning Outcome: 02.14

Section: 02.06

Topic: Chemistry

27. The components of fats are fatty acids and

- A. amino acids.
- B. nucleotides.
- C. phosphate.
- D. glycerol.
- E. All of the choices are correct.

Bloom's Level: 1. Remember

Learning Outcome: 02.15

Section: 02.07

Topic: Chemistry

28. In general, when saturated fats are compared to unsaturated fats (assuming the same number of carbon atoms in the molecule)

- A. they have about the same melting temperature.
- B. saturated fats have a lower melting temperature.
- C. unsaturated fats have a lower melting temperature.
- D. No generalizations can be made since melting temperature is strongly influenced by other factors.

Bloom's Level: 3. Apply

Learning Outcome: 02.15

Section: 02.07

Topic: Chemistry

True / False Questions

29. If you placed the molecule in a vertical orientation, then from top to bottom, the two parallel strands of DNA are both oriented in the same, 5' to 3', direction.

FALSE

Bloom's Level: 2. Understand

Learning Outcome: 02.14

Section: 02.06

Topic: Chemistry

30. RNA is a long double-stranded helix containing ribose and uracil.

FALSE

Bloom's Level: 1. Remember

Learning Outcome: 02.14

Section: 02.06

Topic: Chemistry

31. Lipids, like nucleic acids and proteins, are made of strings of similar subunits.

FALSE

Bloom's Level: 2. Understand

Learning Outcome: 02.15

Section: 02.07

Topic: Chemistry

32. Steroids are simple lipids.

TRUE

Bloom's Level: 2. Understand

Learning Outcome: 02.15

Section: 02.07

Topic: Chemistry

33. Water soluble substances easily pass through the phospholipid bilayer of a cell membrane.

FALSE

Bloom's Level: 2. Understand

Learning Outcome: 02.15

Section: 02.07

Topic: Chemistry

Multiple Choice Questions

34. The positively charged component of the atom is the

- A. electron.
- B. neutron.
- C. proton.
- D. quark.

Bloom's Level: 1. Remember

Learning Outcome: 02.01

Section: 02.01

Topic: Chemistry

35. The uncharged component of the atom is the

- A. electron.
- B. proton.
- C. neutron.
- D. muon.

Bloom's Level: 1. Remember

Learning Outcome: 02.01

Section: 02.01

Topic: Chemistry

36. Which determines the chemical and physical properties of an atom of an element?

- A. electron
- B. neutron
- C. atomic weight
- D. atomic number

Bloom's Level: 2. Understand

Learning Outcome: 02.01

Section: 02.01

Topic: Chemistry

37. The atom, as a whole, is uncharged because

- A. the number of protons equals the number of neutrons.
- B. the number of electrons equals the number of neutrons.
- C. neutrons neutralize the charges.
- D. the number of protons equals the number of electrons.

Bloom's Level: 2. Understand

Learning Outcome: 02.01

Section: 02.01

Topic: Chemistry

38. The atomic weight is equal to

- A. the number of electrons.
- B. the number of electrons plus neutrons.
- C. the number of protons.
- D. the number of neutrons and protons.

Bloom's Level: 1. Remember

Learning Outcome: 02.01

Section: 02.01

Topic: Chemistry

39. If electrons are shared unequally, this forms a(n)

- A. weak bond.
- B. nonpolar bond.
- C. polar bond.
- D. ionic bond.

Bloom's Level: 2. Understand

Learning Outcome: 02.03

Section: 02.02

Topic: Chemistry

40. Atoms that gain electrons are now

- A. positively charged.
- B. negatively charged.
- C. neutral.
- D. lighter.

Bloom's Level: 2. Understand

Learning Outcome: 02.02

Section: 02.02

Topic: Chemistry

41. Which of these bonds are weak individually but are much stronger as a group?

A. covalent

B. ionic

C. neutron

D. hydrogen

E. ionic AND hydrogen

Bloom's Level: 3. Apply

Learning Outcome: 02.03

Section: 02.02

Topic: Chemistry

42. The most important molecule(s) in the world is(are)

A. water.

B. protein.

C. carbohydrates.

D. nucleic acids.

Bloom's Level: 2. Understand

Learning Outcome: 02.08

Section: 02.03

Topic: Chemistry

43. The energy storage form of ATP

A. contains deoxyribose.

B. contains ribose.

C. contains a pyrimidine base.

D. readily releases energy by breaking the bond between the base and the sugar.

E. contains deoxyribose, contains a pyrimidine base AND readily releases energy by breaking the bond between the base and the sugar.

Bloom's Level: 1. Remember

Learning Outcome: 02.07

Section: 02.03

Topic: Chemistry

44. How many different amino acids are there to choose from when assembling a protein?

A. 5

B. 10

C. 20

D. 25

Bloom's Level: 1. Remember

Learning Outcome: 02.10

Section: 02.04

Topic: Chemistry

45. If the side chains of amino acids contain the ammonium ion, they readily form ions that

- A. are described as acidic amino acids.
- B. give positive electric charges to the amino acid.
- C. are described as basic amino acids.
- D. react with lipids to form lipoproteins.
- E. give positive electric charges to the amino acid AND are described as basic amino acids.

Bloom's Level: 3. Apply

Learning Outcome: 02.10

Section: 02.04

Topic: Chemistry

46. L-amino acids occur in proteins and are designated

- A. unnatural.
- B. natural.
- C. rare.
- D. left handed.
- E. natural AND left handed.

Bloom's Level: 2. Understand

Learning Outcome: 02.10

Section: 02.04

Topic: Chemistry

47. Amino acids in proteins are linked to one another by peptide bonds between the
- A. methyl group of one amino acid and a side group of another amino acid.
 - B. carbon atoms of two adjacent amino acids.
 - C. carboxyl group of one amino acid and the amino group of another.
 - D. nitrogen atom and carboxyl ion.

Bloom's Level: 2. Understand

Learning Outcome: 02.11

Section: 02.04

Topic: Chemistry

48. The primary structure in a protein
- A. refers to the helical folding of a protein.
 - B. refers to two or more polypeptides linked to one another.
 - C. refers to the sequence of amino acids.
 - D. refers to the initial folding of a protein.

Bloom's Level: 1. Remember

Learning Outcome: 02.11

Section: 02.04

Topic: Chemistry

49. Side chains are important to proteins because they

- A. help determine protein shape.
- B. help determine the degree of solubility of the protein in water.
- C. are a source of energy for hydration reactions in the cell.
- D. form the peptide bonds which link amino acids to one another.
- E. help determine protein shape AND help determine the degree of solubility of the protein in water.

Bloom's Level: 3. Apply

Learning Outcome: 02.10

Section: 02.04

Topic: Chemistry

50. A protein

- A. assumes any number of equally functional shapes.
- B. may need help, in the form of chaperones, to assume the correct shape.
- C. consists of a string of hydroxyl acids.
- D. is always polar.
- E. assumes any number of equally functional shapes AND may need help, in the form of chaperones, to assume the correct shape.

Bloom's Level: 2. Understand

Learning Outcome: 02.11

Section: 02.04

Topic: Chemistry

51. Weak bonds are important for the _____ structure of proteins.

- A. primary
- B. secondary
- C. tertiary
- D. quarternary
- E. secondary, tertiary AND quarternary

Bloom's Level: 2. Understand

Learning Outcome: 02.11

Section: 02.04

Topic: Chemistry

52. Proteins

- A. are involved in almost every important function performed by a cell.
- B. comprise more than 50% of the dry weight of a cell.
- C. are composed of a string of nucleotides.
- D. are characterized by a 1:2:1 ratio of carbon to hydrogen to oxygen.
- E. are involved in almost every important function performed by a cell AND comprise more than 50% of the dry weight of a cell.

Bloom's Level: 2. Understand

Learning Outcome: 02.09

Section: 02.04

Topic: Chemistry

53. The carbohydrate(s) found in nucleic acids is/are

- A. ribose.
- B. glucose.
- C. galactose.
- D. deoxyribose.
- E. ribose AND deoxyribose.

Bloom's Level: 1. Remember

Learning Outcome: 02.12

Section: 02.05

Topic: Chemistry

54. The -OH group in a carbohydrate

- A. may be found above or below the plane of the ring.
- B. is involved in the formation of stereoisomers.
- C. is involved when linking monosaccharides together.
- D. All of the choices are true.

Bloom's Level: 2. Understand

Learning Outcome: 02.13

Section: 02.05

Topic: Chemistry

55. Dehydration reactions are involved in

- A. the formation of polypeptides.
- B. the formation of polysaccharides.
- C. the formation of monosaccharides.
- D. the formation of nucleotides.
- E. the formation of polypeptides AND the formation of polysaccharides.

Bloom's Level: 2. Understand

Learning Outcome: 02.10

Section: 02.04

Topic: Chemistry

56. Which is true of nucleotides?

- A. They are the building blocks of DNA.
- B. They carry chemical energy in their bonds.
- C. They are part of certain enzymes.
- D. They serve as specific signaling molecules.
- E. All of the choices are true.

Bloom's Level: 2. Understand

Learning Outcome: 02.14

Section: 02.06

Topic: Chemistry

57. The purines of DNA are

- A. adenine and guanine.
- B. thymine and adenine.
- C. serine and threonine.
- D. thymine and uracil.
- E. thymine and adenine AND thymine and uracil.

Bloom's Level: 1. Remember

Learning Outcome: 02.14

Section: 02.06

Topic: Chemistry

58. The end of the nucleic acid chain that grows by adding more nucleotides is always the

- A. 5 prime end.
- B. C terminal.
- C. N terminal.
- D. 3 prime end.

Bloom's Level: 2. Understand

Learning Outcome: 02.14

Section: 02.06

Topic: Chemistry

59. The characteristic common to all lipids is their

- A. solubility in organic solvents.
- B. hydrophilic nature.
- C. large size.
- D. hydrophobic nature.
- E. solubility in organic solvents AND hydrophobic nature.

Bloom's Level: 2. Understand

Learning Outcome: 02.15

Section: 02.07

Topic: Chemistry

60. Which is(are) true of lipids?

- A. They are a major structural element of all cell membranes.
- B. They act as gatekeepers of the cell.
- C. They demark the inside vs. the outside of the cell.
- D. They are a heterogeneous group of molecules.
- E. All of the choices are correct.

Bloom's Level: 2. Understand

Learning Outcome: 02.15

Section: 02.07

Topic: Chemistry

True / False Questions

61. As DNA is always double-stranded, RNA is always single-stranded.

FALSE

Bloom's Level: 2. Understand

Learning Outcome: 02.14

Section: 02.06

Topic: Chemistry

62. Lipids are polar, hydrophilic molecules.

FALSE

Bloom's Level: 2. Understand

Learning Outcome: 02.15

Section: 02.07

Topic: Chemistry

63. Simple lipids contain carbon, hydrogen, and oxygen in a 1:2:1 ratio.

FALSE

Bloom's Level: 1. Remember

Learning Outcome: 02.15

Section: 02.07

Topic: Chemistry

64. Phospholipids are nonpolar molecules.

FALSE

Bloom's Level: 1. Remember

Learning Outcome: 02.15

Section: 02.07

Topic: Chemistry

65. Unsaturated fats have lower melting points than saturated fats.

TRUE

Bloom's Level: 3. Apply

Learning Outcome: 02.15

Section: 02.07

Topic: Chemistry

Multiple Choice Questions

66. Microorganisms use hydrogen bonds to attach themselves to the surfaces that they live upon. Many of them lose hold of the surface because of the weak nature of these bonds and end up dying or being washed away. Why don't microbes just use covalent bonds instead?

- A. Covalent bonds are always permanent bonds-the microbes could never get OFF their surface if they used them.
- B. Covalent bonds depend on completely giving up or completely accepting an electron to form the bond. This isn't possible for many microbes without dramatically altering their basic molecular composition.
- C. Covalent bonds typically require enzymes to form/break, whereas hydrogen bonds don't. If covalent bonds were used, it would require much more energy and molecules to be contributed from the cell. Hydrogen bonds don't have these requirements.
- D. Covalent bonds may have more specific and stringent requirements for what atoms can bond with what. This makes for stronger bonds, but also decreases the overall potential for bonds that could readily be created between the microbe and its desired surface.

E. C and D

Bloom's Level: 5. Evaluate

67. A biologist determined the amounts of several amino acids in two separate samples of pure protein. His data stated that Protein A possessed: 7% leucine, 12% alanine, 4% histidine, 2% cysteine, and 5% glycine. Interestingly, Protein B had the same percentages of each of the same amino acids. He concluded, from this data, that Proteins A and B are the same protein. Based on this information and his conclusion, determine which of the following is the correct statement regarding his findings:

- A. He is correct-they have the same percentages of each amino acid, so they are identical protein molecules.
- B. He is incorrect-while they may possess the same percentages of each amino acid, his findings say nothing about the order in which the amino acids are put together. The order will dictate the overall structure of the protein, so the two could be very different in shape-even though the amino acid totals are the same.
- C. He is correct-order of the amino acids is irrelevant. It's only the total number of each molecule that is important to structure.
- D. He is incorrect-he hasn't accounted at all for the effects of pH on the composition of the protein and its effects on the individual amino acids.

Ch02 Summary

<u>Category</u>	<u># of Questions</u>
Bloom's Level: 1. Remember	22
Bloom's Level: 2. Understand	34
Bloom's Level: 3. Apply	9
Bloom's Level: 5. Evaluate	2
Learning Outcome: 02.01	10
Learning Outcome: 02.02	1
Learning Outcome: 02.03	6
Learning Outcome: 02.05	1
Learning Outcome: 02.06	1
Learning Outcome: 02.07	1
Learning Outcome: 02.08	1
Learning Outcome: 02.09	1
Learning Outcome: 02.10	11
Learning Outcome: 02.11	8
Learning Outcome: 02.12	2
Learning Outcome: 02.13	3
Learning Outcome: 02.14	10
Learning Outcome: 02.15	11
Section: 02.01	10
Section: 02.02	7
Section: 02.03	4
Section: 02.04	20
Section: 02.05	5
Section: 02.06	10
Section: 02.07	11
Topic: Chemistry	67