Full Download: http://alibabadownload.com/product/operations-management-processes-and-supply-chains-global-11th-edition-kra

Chapter

2 Process Strategy and Analysis

DISCUSSION QUESTIONS

- 1. Many processes at manufacturing facilities involve customer contact. Internal customers would include those employees whose operation(s) are subsequent. Quality Control could be considered an internal customer as could design engineering or sales. Quality Control, design engineering, marketing, sales and other organizations represent the customer at various stages of any process. Customer contact can be very high, especially between production and engineering and production and quality control.
- 2. In hospitality business, like hotels, hybrid solutions are often considered the best and most appropriate, since many complaints that are not related to standard issues arise, and a specific set of competencies or training is required to address and resolve them. However, there are cases when the general situation mentioned above might not represent the optimal solution; for instance, when a hotel deals with business hospitality, and not just tourism, other solutions might prove to be more appropriate.
- 3. eBay has considerable arrival and request variability, because its customers do not want service at the same time or at times necessarily convenient to the company. They have request variability, seeking to buy and sell an endless number of items. Their process strategy allows significant customer involvement. Their customers perform virtually all of the selling and buying processes. McDonald's instead offers a considerable variety of foods, but from a standard menu. Staffing varies, depending on the time of day. Customization is not encouraged, and the hours during which a store is open can be controlled. Its processes have virtually no customer involvement, other than placing the order, picking up condiments or napkins, and possibly disposing of plates and containers when exiting. eBay accomodates customer-introduced variability, whereas McDonald's reduces it.
- 4. Student answers will vary. One idea that they may come up with is the use of electronic files. The printing industry is undergoing a shift to pdf files. Medical imaging and electronic file sharing is on the immediate horizon. The trick would be to convince physicians that want to keep their pads and pencils, that their "blackberries" are their pads and pencils.

- 5. Selling financial services would involve considerable customer contact, and thus be a front office. Likely activities would be to work with the customer to undertand customer needs, make customized presentation to the customer, and maintain a continuing relationship with the customer to react to changing customer needs. Producing monthly client fund balance reports involves little customer contact, and thus be a back office. Likely activities would be to obtain data electronically, run the report using a standardized process, forward the hard copies and electtonic files to analysts, and repeat the process monthly with little variation.
- 6. The process of call center services is rated in the table below. The combined score is 5.6 if each is given a weight of 0.20. Arguments could be made to give more weight to a dimension such as contact intensity, although more would need to be known about the exact process. The process's alignment on the customer-contact matrix seems to fit a front office, with more jumbled work flows and process divergence. To be properly aligned, there should be considerable resource flexibility in terms of both the employees and their equipment.

| imension of Customer | Explanation | Score |
|-------------------------|---|-------|
| Contact | | |
| Physical presence | The customer is present for such steps as working to understand customer needs and answering specific questions. Other steps such as researching product information do not involve as direct contact. | 1 |
| What is processed | The customer is the focus of what is being processed in certain steps, such as the specific product explanation. However, researching product information lies more in the category of information–based service rather than people-processing services. | 6 |
| Contact intensity | The customer is actively involved and there is high service customization process | 7 |
| Personal attention | There is considerable personal attention and confiding in working to understand customer needs and in maintaining a continuing relationship with the customer. | 7 |
| Method of delivery | Much of the delivery is through phone-to-phone contact . | 7 |

- 7. The answer can be debated. On one hand, relentless pressure to improve can create considerable benefits over time, and could well put a company at the top of the industry. On the other hand, small improvements do not lead to break-through solutions that might be what is needed to remain competitive, particularly in an industry marked by rapid change. However, radical change and process reengineering is strong medicine and not always needed or successful.
- 8. This question was inspired by a similar situation faced by Ontario Hydro-Electric. Today electricity is a commodity that competes on the basis of low-cost operations and reliability. If the environmental protection equipment is installed, HEC must either absorb the costs as a loss (immediate bankruptcy) or attempt to pass on the costs to customers and see further erosion of their market (eventual bankruptcy).

HEC would probably decide to delay investment in environmental protection equipment for as long as possible. Some discussion may focus on the issue of whether customers, as users of both electricity and the environment, are better served by competition (lower cost of electricity) or by regulated monopolies (better environment).

- 9. For an example of a real-world application of a benchmarking exercise in a big organization, consider this case-study, with the application of benchmarking to the NHS, the UK National Health System, which can be retrieved at: http://www7.open.ac.uk/oubs/research/pdf/WP99_3.pdf
 - a. The best practices of benchmarking; in the UK case provided in the Web site above, as in many others, include large-scale questionnaire surveys and longitudinal case studies both in other units of the same organization or in similar organizations.
 - b. Many studies show that complex approaches to benchmarking, as generally all performance improvement methods, no matter how technically powerful, are only as effective as the people who apply them and their compatibility with structure of the organization in which they are used.
 - c. The reason why benchmarking is often more attractive than other comparable methods of performance improvement lies in the fact that it's relatively simple to understand, focuses on setting quantitative (i.e., measureable) goals for improvement, relies on easy-to-make comparisons, generally does not involve huge investments or specialist skills, and, last but not the least, can be tailored to meet an organization's specific needs, like in the NHS case study here presented.
 - d. The answer is: Both. "In theory, best practice benchmarking helps organizations to improve strategically important processes. In practice the efforts are often directed towards operational easy-to-change processes; or even simply towards measuring outputs with no attempt to understand the processes which led to them." (Holloway et al. 2000:7)
 - e. According to this benchmarking classification developed by Camp (1995:16), this is what the categories are for:
 - □ Internal a comparison among similar operations within one's own organization.
 - □ Competitive a comparison to the best of the direct competitors.
 - □ Functional a comparison of methods to organizations with similar processes in the same function outside one's 'industry'.
 - Generic a comparison of work processes to others who have innovative, exemplar work processes.

PROBLEMS


Process Strategy Decisions

1. Dr. Gulakowicz Fixed cost, F = \$155,000 Revenue per patient, p = \$2,920Variable cost per unit, c = \$1,010Break-even volume, $Q = \frac{F}{p-c} = \frac{$155,000}{$2,920-$1,010} = 81$ patients

- 2. Two manufacturing processes
 - a. $F_1 + c_1 Q = F_2 + c_2 Q$ (\$50,000 + \$700Q = \$400,000 + \$200Q (\$700 - \$200)Q = (\$400,000 - \$50,000) $Q = \frac{\$350,000}{\$500} = 700$ units
 - b. Choose the second process, because 800 exceeds the break-even volume.
- 3. Sebago Manufacturing
 - a. The volume at which the second process becomes more attractive is 695 units.
 - b. Since the production volume at which the second manufacturing process becomes more attractive is lower than the expected annual sales for the product, you should choose the second manufacturing process.

Documenting and Evaluating the Process

4. Custom Molds




| | A | В | С | D | E | F | G | Н | I | J | K | L | М | N |
|----|--|--------------|---------------|------------------------|-----------------------------|--------------|---------------|--------------------------------------|----------------------------|--|---------------------------|--------------------------------|----------------------|-------------------------------|
| 1 | | | Proc | ess (| Chart f | orC | ustom | Molds | 3 | | | | | |
| 2 | | | | | | | | | | | | | | |
| 3 | Step | Cost (\$) | Time (min) | Time Delay (min) | Distance Moved (feet) | Scrap (%) | Rework (%) | Environ- mental waste (Ibs) | Energy required (\$) | External customer contact (1–7) | Demand rate (units) | Process divergence (1-7) | Inventory (units) | Customer complaints (%) |
| 4 | Mold fabrication | | | | | | | | | | | | | |
| 5 | 1. Order received | | | | | | | | | | | | | |
| 6 | 2. Design review | | | | | | | | | | | | | |
| | 3. Specs | | | | | | | | | | | | | |
| | 4. Machinist | | | | | | | | | | | | | |
| | 5. Purchasing | | | | | | | | | | | | | |
| | Order materials and tooling | | | | | | | | | | | | | |
| | 7. Mold Fabrication | | | | | | | | | | | | | |
| 12 | 8. Mold Testing | | | | | | | | | | | | | |
| | 9. Go to Step 10 or 17 as needed | | | | | | | | | | | | | |
| | 10. Clean, polish and ship | | | | | | | | | | | | | |
| 15 | | | | | | | | | | | | | | |
| | Manufacturing parts | | | | | | | | | | | | | |
| | 11. Customer order received | | | | | | | | | | | | | |
| | 12. Specs verified with customer | | | | | | | | | | | | | |
| | 13. Order materials | | | | | | | | | | | | | |
| | 14. Dry mix | | | | | | | | | | | | | |
| | 15. Wet mix | | | | | | | | | | | | | |
| | Get mold from fabrication or inventory | | | | | | | | | | | | | |
| | 17. Injection | | | | | | | | | | | | | |
| | 18. Cut and trim | | | | | | | | | | | | | |
| | 19. Inspection | | | | | | | | | | | | | |
| | 20. Back to steps 4, 18, 21, or 22 as needed | | | | | | | | | | | | | |
| | 21. Assembly | | | | | | | | | | | | | |
| 28 | 22. Shipping | | | | | | | | | | | | | |
| 29 | TOTALS | | | | | | | | | | | | | |

5. Process chart for Custom Molds with metrics

6. ABC Insurance Company







7. ABC Process Chart

| | A | в | С | D | E | F | G | н | 1 | J | К | L | м | N | 0 | Р |
|----|---|--------------|--------------------------|------------------------|------------------------------------|--------------------------|---------------------------|---------------|--------------------------------------|----------------------------|--|--------------------------|--------------------------------|-----------------------------------|---------------------------------------|---|
| 1 | | | | | | | Process | s Char | t for A | вс | | | | | | |
| 2 | | | | | | | | | | | | | | | | |
| 3 | Step | Cost (\$) | Process Time (min) | Time Delay (min) | Cumulative Elapsed Time min) | Customer Error (%) | Associate Error (%) | Rework (%) | Environ- mental waste (Ibs) | Energy required (\$) | External Customer Contact (1-7) | Applications per Week | Process Divergence (1-7) | Customer Satisfaction (1-7) | Number of applications in queue | |
| 4 | 1. Branch office | | | | | | | | | | | | | | | |
| 5 | 2. Mail in | | | | | | | | | | | | | | | |
| | 3. London office receives from Steps 1 or 2 | | | | | | | | | | | | | | | |
| | Application separated | | | | | | | | | | | | | | | |
| | 5. Scanned | | | | | | | | | | | | | | | |
| | Application to associate | | | | | | | | | | | | | | | |
| | 7. Information entered | | | | | | | | | | | | | | | |
| | 8. Go to Steps 9 or 10 as needed | | | | | | | | | | | | | | | |
| | 9. Additional information | | | | | | | | | | | | | | | |
| | 10. Confirmation sent | | | | | | | | | | | | | | | |
| | 11. Go to Step 12 or 15 as needed | | | | | | | | | | | | | | | |
| 15 | 12. Customer updates | | | | | | | | | | | | | | | |
| 16 | 13. Customer problem resolution | | | | | | | | | | | | | | | |
| | 14. Go to Step 10 | | | | | | | | | | | | | | | |
| 18 | 15. Application complete | | | | | | | | | | | | | | | |
| 19 | TOTALS | | | | | | | | | | | | | | | |

8. DEF Flowchart






9. Big Bob's Service Blueprint Service Blueprint for Big Bob's Burger Barn

10. Referendum 13

Flowchart for yard sign assembly:



Human resource requirements:

One of many possible arrangements is to create several cells with four workers in each cell.

Worker 1 is a materials handler, bringing printed cards and stakes (say in stacks or bundles of 25) to the gluing table and taking completed signs (again in bundles of 25) to the shipping area.

Worker 2 glues printed cards to the stakes. Worker 2 is also responsible for keeping the area supplied with glue, staples, pizza, and soft drinks.

Worker 3 is also a materials handler, transferring glued signs in small quantities (a transfer batch) to the stapling table.

While worker 3 holds the material in place, Worker 4 staples the card to the stake to hold it while the glue dries. Worker 4 also inspects the staples, drives loose ones home with a hammer, and stacks completed signs in bundles of 25 for Worker 1 to take away.

Accounting for interruptions, material shortages, and chaos, each cell will complete about eight signs per minute, or about two signs per worker-minute. 10,000 signs would require about 5,000 worker-minutes, or 83.33 worker-hours. In order to accomplish this work within three hours (maximum attention span of college students) 83.33/3 = 27.78 or about 28 student volunteers are required to staff 7 cells.

Material requirements (for 7 cells of 4 workers each):

| 10,000 | printed cards |
|--------|----------------------------------|
| 10,000 | stakes |
| 32,000 | staples (16 boxes of 2,000 each) |
| 28 | 12-ounce bottles of wood glue |
| 4 | cases |
| 10 | pizzas |
| | |

Equipment requirements:


- 14 tables
- 7 staple guns
- 7 hammers (to set staples)

Process chart (using Process Chart Solver of OM Explorer):

| Proces | s: | Yard sign | asse | embl | y (25 | i) | _ | | Summary | | |
|--|---|---------------|-------------|------------------|-------|----|--------|--|--|--|------------------|
| Subjec | t: | Volunteer | | | | | | | | | |
| Beginn | ing: | Material to | o tab | le | | | _ | Activity | Number of Steps | Time (min) | Distance (ft) |
| Ending | : | Complete | d sig | ns re | emov | ed | _ | Operation $lacebox$ | 2 | 6.2 | |
| | Ins | ert Step | | | | | | Transport 📫 | . 4 | 4.0 | 155 |
| _ | | | | | | | | Inspect | 1 | 1.0 | |
| | | end Step | | | | | | Delay 📃 🕨 | 1 | 1.0 | |
| | Ren | nove Step | | | | | | Store 🗸 🔻 | 2 | 1.5 | |
| Step No. 1 2 3 4 5 6 7 8 9 10 | Time (min) 0.5 0.5 3.2 2.5 1.0 3.0 1.0 1.0 0.5 0.5 | 50 5 50 | • × × | × × × × | × | × | × × | 25 printed car 25 stakes to g Glue 25 cards Transfer individ Hold in postio Insert three st Inspect staple Stack signs ir Carry signs to Store signs ur | gluing table to 25 stake dually to sta n for stapling aples per sig s nto bundles o shipping an | table s pling gn of 25 ea | |

11. Mailing to the alumni of your college

a. A sample process chart for 2000 letters follows.



- b. Total time for 2000 letters = $[(0.57 \text{ min}) / 60 \text{ min per hour}] \times 2000$ letters = 19 hours. The cost to process 2000 letters = (\$8/hr)(19 hr) = \$152.
- c. Changes that would reduce the time and cost of the process:
 - A letterhead with "Dear Alumnus" will make step 1 (process letter) not necessary, saving 400 minutes and \$53.33 [\$8(400/60)].
 - With mailing labels, step 1 involves matching the letters with labels rather than with addressed envelopes, but now we must stick the label to the envelope. We do everything we did before plus the extra step. The time would increase by 200 minutes and cost \$26.66 [\$8(200/60)] more.
 - Prestamped envelopes will eliminate step 5 and save 200 minutes and \$26.67 [\$8(200/60)].
 - If envelopes are to be stamped by a postage meter, it will take, 10 minutes [2000/200]. This results in a savings of 190 minutes and \$25.33 [\$8(190/60)].
 - Window envelopes eliminate the need to match envelopes to letters, resulting in a savings of \$53.33.
- d. Using the letter with "Dear Alumnus" may reduce the effectiveness of the project because it would be less personal. This concern goes also for the use of mailing labels.

- e. Although including a preaddressed envelope will increase time and cost of the process, alumni may be more likely to contribute if they have an envelope available to them.
- 12. Gasoline Stations
 - a. The gas station in part (b) has a more efficient flow from the perspective of the customer because traffic moves in only one direction through the system.
 - b. The gas station in part (a) creates the possibility for a random direction of flow, thereby causing occasional conflicts at the gas pumps.
 - c. At the gas station in part (b) a customer could pay from the car. However, this practice could be a source of congestion at peak periods.
- 13. Just Like Home Restaurant
 - a. The summary of the process chart should appear as follows:

| Activity | Number of Steps | Time (min) | Distance (ft) |
|-------------|--------------------|------------|------------------|
| Operation ● | 6 6 | 1.70 | (11) |
| Transport 📫 | 6 | 0.80 | 31 |
| Inspect | 1 | 0.25 | |
| Delay | 1 | 0.50 | |
| Store 🔻 | | | |

- b. Each cycle of making a single-scoop ice cream cone takes
 1.70 + 0.80 + 0.25 + 0.50 = 3.25 minutes. The total labor cost is
 (\$10/hr)[(3.25 min/cone)/60 min](10 cones/hr)(10 hr/day)(363 day/yr)
 = \$19,662.50.
- c. To make this operation more efficient, we can eliminate delay and reduce traveling by having precleaned scoops available. The improved process chart follows.

| Proces | s: | Making si | ngle- | scoc | р сс | ne | | | Summary | | |
|-------------|---------------|-------------------|-------|-------|-------|-----|---|---------------------------------|--------------------|---------------|------------------|
| Subject: | | Server at counter | | | | | | | | | |
| Beginn | ing: | Walk to c | one : | stora | ge ar | rea | | Act vity | Number of Steps | Time (min) | Distance (ft) |
| Ending | : | Give to se | rver | or cu | stor | ner | | Operation ● | 5 | 1.65 | |
| | Ins | ert Step | | | | | | Transport 📫 | . 4 | 0.45 | 15 |
| _ | | end Step | | | | | | Inspect | 1 | 0.25 | |
| _ | | | | | | | | Delay 📃 🕨 | | | |
| | Ren | nove Step | | | | | | Store 🛛 🔻 | | | |
| Step No. | Time (min) | Distance (ft) | • | • | | • | ▼ | | Step Descr | iption | |
| 1 | 0.20 | 5.0 | | X | | | | Walk to cone | | 1 | |
| 2 3 | 0.05 | 5.0 | Х | x | | | | Remove empt Walk to scoor | - | rea | |
| 4 | 0.05 | | Х | | | | | Remove scoo | - | | |
| 5 | 0.10 | 2.5 | | X | | | | Walk to flavor | | | |
| 6 | 0.75 | | X | | | | | Scoop ice cre | | tainer | |
| 7 | 0.75 | | Х | | | | | Place ice crea | | | |
| 0 9 | 0.25 | 2.5 | | x | X | | | Check for stal Walk to order | | rea | |
| 9 10 | 0.05 | 2.0 | x | | | | | Give server or | • | | |

The cycle time is reduced to 1.65 + 0.45 + 0.25, or 2.35 minutes. The total labor cost is (\$ 10/hr)[(2.35 min/cone)/60 min](10 cones/hr)(10 hr/day)(363 day/yr) = \$14,217.50.

Therefore, the annual labor saving is \$19,662.50 - \$14,217.50 = \$5,445.00.

- 14. Grading Homework Steps:
 - 1. Check each paper to identify the author of the homework, then mark each paper with section number and graduate status.
 - 2. Sort by section and graduate status.
 - 3. Correct and grade papers.
 - 4. Alphabetize by section.
 - 5. Record grades.
 - 6. Return homework to appropriate instructor.

15. DMV

| Proces | s: | Automobil | e lic | ense | | | | | Summary | | | |
|-------------------|---------------|------------------|-------|------------|---|---|---|--------------------------------|--------------------|---------------|------------------|--|
| Subject: Customer | | | | | | | | | | | | |
| Beginning: | | Customer | arriv | es | | | | Activity | Number of Steps | Time (min) | Distance (ft) | |
| Ending | : | Customer | leav | es | | | | Operation ● | 5 | 9 | | |
| | Ins | ert Step | | | | | | Transport 📫 | 6 | 0 | 265 | |
| _ | | | | | | | | Inspect | 1 | 0 | | |
| | Арр | end Step | | | | | | Delay | 4 | 351 | | |
| | Ren | nove Step | | | | | | Store V | · 1 | 0 | | |
| | | | | | | | | ototo V | | | | |
| Step No. | Time (min) | Distance (ft) | • | • | | Þ | ▼ | | Step Descr | iption | | |
| 1 | | | Х | | | | | Take a numbe | | | | |
| 2 | | 50 | | X | | | | Walk to waitir | ~ | | | |
| 3 | 240 | | | | | X | | Wait for servic | | - I I | | |
| 4 5 | | 60 | | X | X | | | Number is ca Walk to clerk | | скец | | |
| 6 | 4 | 00 | X | $ ^{\sim}$ | | | | Calculate/pay | | axes | | |
| 7 | - | 80 | ^^ | X | | | | Walk to prope | | | | |
| 8 | | | X | | | | | Take a numbe | | | | |
| 9 | 100 | | | | | X | | Wait for servio | ce | | | |
| 10 | | 25 | | X | | | | Walk to clerk | | | | |
| 11 | 2 | | X | | | | | Calculate/pay | | es | | |
| 12 | | 50 | | X | | | | Walk to licen: | | | | |
| 13 | 10 | | | | | X | | Wait for servic | | | | |
| 14 15 | 3 | | X | | | x | | Calculate/pay Abuse license | | | | |
| 15 | | | | X | | ^ | | Walk to car ir | | | | |
| 17 | | | | ^ | | | x | Crash with bu | | 4 1 | | |

The tax assessment clerks' time is being wasted by an inefficient waiting line process. Whenever the customer arrival rate approaches the service rate, a waiting line will form. While the clerk is waiting for phantom customers, service rate declines, and waiting lines become even longer. More disgusted customers leave the waiting area (renege).

This process can be improved by arranging the waiting area to work like the "batter's circle and batter's box" in baseball. Customers who have reneged would be replaced before the clerks' time is wasted. Service rates would increase and waiting lines would decrease.

Typical of many service situations, the customer's anger is misguided. It is directed at the last person in the process (the license clerk), who has done nothing wrong. The customer pays for this misguided anger. While taking the one minute to abuse the license clerk, a bus approaches. Blinded by rage, the taxpayer drives his new car into the path of the oncoming bus, and the car is totaled. Now the customer will have to start the process again!

Epilogue.

It is almost sad how little exaggeration was used in creating this problem. When this location of the DMV closed, the local news announcer referred to it as "the city's most popular place to wait in line." This DMV process has since been replaced by an automated one-stop, one-transaction process. Just today I visited the new DMV and completed the entire process in five minutes.

- 16. Oil Change
 - a. Each oil changing cycle takes 16.5 + 5.5 + 5.0 + 0.7 + 0.3 = 28 minutes. The total labor cost is

(\$40/hr)[(28 min/service)/(60 min/hr)](2 services/hr × 10 hrs/day × 300 days/yr) = \$112,000

- b. $(\$40/hr) \times (2.7 \text{ minutes saved per service}/60 \text{ min/hr}) (2 \text{ services}/hr \times 10 \text{ hrs/day} \times 300 \text{ days/yr}) = \$10,800 \text{ saved per year}$
- 17. Time Study of Assembling Peanut Valves The standard time is 23.35 seconds. (Response rounded to two decimal places.)

| Element | Performance Rating | Obs 1 | Obs 2 | Obs 3 | Obs 4 | Obs 5 | Average Time | Normal Time |
|-----------|-----------------------|-------|----------|----------|-------|-------|-----------------|----------------|
| Element 1 | 70 | 4 | 3 | 5 | 4 | 3 | 3.8 | 2.66 |
| Element 2 | 110 | 8 | 10 | 9 | 11 | 10 | 9.6 | 10.56 |
| Element 3 | 90 | 6 | 8 | 7 | 7 | 6 | 6.8 | <u>6.12</u> |

18. Time Study of Process

Total = 19.34

Standard Time = 19.34 × 1.20 = **23.21 minutes**

- 19. Work Sampling on Idle Time
 - a. Idle Time = $(17+18+14+16) / (44+56+48+60) \times 100 = 31.25$ percent.

Working Time = 100 - 31.25 = 68.75 percent.

b. Different root causes can be explored in an expanded work sampling study, with new categories replacing idle, such as: waiting for materials, waiting for instructions, equipment failures, breaks, or conversations with co-workers.


20. Bid on Swimming Pools

- a. 13.50 hours (enter your response rounded to two decimal places.)
- b. 6.75 hours (enter your response rounded to two decimal places.)

21. Bid Using OM Explorer

| Time for first unit | 35 |
|----------------------------------|-------|
| Unit number | 5 |
| Time for unit 5 | 24.02 |
| Cumulative average time per unit | 28.22 |

The 5th pool should take just over 24 hours, with the cumulative average time for all five pools being 28.2 hours. Total Time = (28.2)(5) = 141 hours. The learning curve follows.



22. Rain Tite

a. Production time on the manual line


1st window = 30 minutes

- 2nd window = 30 x .90 = 27.00 minutes
- 4th window = 27 x .90 = 24.30 minutes
- 8th window = $24.3 \times .90 = 21.87$ minutes
- 16th window = $21.87 \times .90 = 19.68$ minutes


b. Production time on the semi-automated line 1st window = 45 minutes 2nd window = 45 x .75 = 33.75 minutes 4th window = 33.75 x .75 = 25.31 minutes


8th window = 25.31 x .75 = 18.98 minutes 16th window = 18.98 x .75 = 14.24 minutes

As displayed in the graph below, after 4 windows produced, the employee on the semi-automated line will be able to build a window more quickly than an employee on the manual line.




- 23. Perrotti's Pizza Pareto chart
 - a. Although the frequency of partly eaten pizza is low, it is a serious quality problem because it is deliberate rather than accidental. It is likely to cause extreme loss of goodwill. A common root cause of many of these problems could be miscommunication between the customer and the order taker, between the order taker and production and between production and distribution. This chart was created using *the Bar, Pareto, and Line Charts Solver of OM Explorer*.






b. Cause-and-effect diagram


- 24. Smith, Schroeder, and Torn (short moves)
 - a. The tally sheet given in the problem is essentially a horizontal bar chart. To create a Pareto diagram, the categories are arranged in order of decreasing frequency. This diagram was created using *the Bar, Pareto, and Line Charts Solver of OM Explorer*.





25. Golden Valley Bank







b. While Golden Valley's approximate average time is only slightly more than two working days, a significant number of customers waited longer than 18 hours (39 of 99). Also, too many customers waited about three working days or more (13 of 99), which should be investigated.

26. East Woods Ford


a. Bar chart, from the Bar, Pareto, and Line Charts Solver of OM Explorer.




Pareto chart, from the Bar, Pareto, and Line Charts Solver of OM Explorer ...




b. Cause-and-effect diagram drawn using PowerPoint.




- 27. Oregon Fiber Board
 - a. Scatter diagram (see following)
 - b. As the production run size increases, the percent of failures decreases. Should schedule large runs when possible and determine what causes smaller runs to be problematic, e.g., changeover issues.



- 28. Grindwell, Inc.
- a. Scatter diagram




- b. Correlation coefficient $\rho = -0.547$. There is a negative relationship between permeability and carbon content, although it is not too strong.
- c. Carbon content must be increased to reduce permeability index.
- 29. Superfast Airlines. One of many possible cause-and-effect diagrams follows.



30. Plastomer, Inc.

| Type of Failure | Amount of Scrap (lb) | Percent of Total Amount |
|--------------------|-------------------------|----------------------------|
| 1. Air bubbles | 500 | 0.7% |
| 2. Bubble breaks | 19,650 | 29.3% |
| 3. Carbon content | 150 | 0.2% |
| 4. Unevenness | 3,810 | 5.7% |
| 5. Gauge/Thickness | 27,600 | 41.1% |
| 6. Opacity | 450 | 0.7% |
| 7. Scratches | 3,840 | 5.7% |
| 8. Trim | 500 | 0.7% |
| 9 Wrinkles | 10,650 | <u>15.9%</u> |
| Totals | 67,150 | 100.0% |

The following Pareto chart was created using the Bar, Pareto, and Line Charts Solver of OM Explorer.



Management should attempt to improve the "thickness/gauge" problem first.

31. Shampoo bottling company

a. The tally of data into cells will be as follows.

| Cell | Cell | Tally | Frequency |
|--------|-------------------|-------|-----------|
| Number | Boundaries | | |
| 1 | 12.65 up to 12.85 | | 4 |
| 2 | 12.85 up to 13.05 | | 8 |
| 3 | 13.05 up to 13.25 | | 9 |
| 4 | 13.25 up to 13.45 | | 9 |
| 5 | 13.45 up to 13.65 | | 11 |
| 6 | 13.65 up to 13.85 | | 12 |
| 7 | 13.85 up to 14.05 | | 16 |
| 8 | 14.05 up to 14.25 | | 11 |
| 9 | 14.25 up to 14.45 | | 10 |
| 10 | 14.45 up to 14.65 | | 8 |
| 11 | 14.65 up to 14.85 | | 2 |

- b. 4% of the bottles filled by the machine will be out of specification;4% are below the lower limit, and none are above the upper limit. NOTE: If you turn the table 90 degrees counterclockwise, the tallies create a histogram.
- 32. Team exercise on shaving
 - a. One possible solution would look like this:

| Proces | s: | Shaving | | | | | | Summary | | | |
|--------------|---------------|------------------|---|----------|--------------------|---------------|------------------|------------------------------------|----------------|-----------|------------|
| Subject: Man | | | | | | | | | | | |
| Beginn | ing: | Remove tools | | Activity | Number of Steps | Time (min) | Distance (ft) | | | | |
| Ending | : | Clear area | 1 | | | | | Operation $ullet$ | 4 | 6.20 | |
| | Ins | sert Step | | | | | | Transport 🜩 | 4 | 0.50 | 20 |
| - | | | | | | | | Inspect | 1 | 0.50 | |
| | Abb | end Step | | | | | | Delay 🕨 🕨 | 9 | 9.00 | |
| | Rer | nove Step | | | | | | Store 🔻 | | 0.00 | |
| | | <u> </u> | | | | | | - | | | |
| Step No. | Time (min) | Distance (ft) | | ➡ | | | ▼ | | Step Descr | iption | |
| 1 | 0.10 | | | Х | | | | Remove shavir | ng bowl and | soap fror | n cabinet |
| 2 | 0.10 | 5 | | X | | | | Remove brush | | - | |
| 3 | 0.10 | | | | | X | | Turn warm wat | er faucet on | | |
| 4 | 3.00 | | | | | X | | Hold hand und | | | |
| 5 | 1.00 | | | | | X | | Create shaving | | | warm water |
| 6 | 1.00 | | X | | | | | Apply shaving | lather to fac | е | |
| 7 | 0.10 | | | | | X | | Plug sink | | | |
| 8 | 3.00 | | | | | X | | Turn faucet off | | | |
| 9 | 0.10 | | | X | | | | Remove razor | | t | |
| 10 | 0.50 | | | | | X | | Insert new raze | | | |
| 11 | 0.10 | | X | | | | | Draw blade act | | | |
| 12 | 0.10 | | | | | X | | Rinse blade in | | | |
| 13 | 5.00 | | X | | . v | | | Repeat steps ' | 11-12 until fa | ace clear | of stubble |
| 14 | 0.50 | | | | X | | | Inspect face | | | |
| 15 | 0.20 | | V | | | X | | Thoroughly rins Dry face with t | | | |
| 16 | 0.10 | | X | ~ | | | | Return tools to | | | |
| 17 18 | 0.20 1.00 | | | X | | x | | Unplug sink, d | | toly and | clear area |
| 10 | 1.00 | | | I | I | | | Johping sink, u | rain comple | tery, and | ciear alea |

Additional comments (students may have slightly different observations): After Step 2, he "walks back to sink"; Steps 3-4 and 7 & 8 are operations; The Delay step between 7 & 8 is "Wait for sink to half fill"; Between Steps 8 & 9 he "walks over to cabinet" to remove the razor (unless he gets it at Step 1 or 2) and he needs to "walk back to sink" to unplug and clean.

- b. Some ideas generated from brainstorming the process:
- 1. Leave bowl, soap, razor, and brush on the counter.
- 2. Turn water on first.
- 3. Buy new water heater so water warms faster.
- 4. Use shaving cream or gel.
- 5. Shave in the shower.
- 6. Plug sink before turning water on.
- 7. Run water while shaving instead of plugging and filling sink.
- 8. Fill sink one-fourth full instead of half full.


- 9. Use disposable razor or electric razor.
- 10. Replace razor every other day.
- 11. Grow a mustache, beard, or goatee to reduce shaving time.
- 12. Go to a barber.
- 13. Let face air dry.
 - 14. Use cold water.
 - 15. Do not inspect the face but shave accurately the first time.
 - 16. Shave every other day.
 - 17. Don't rinse blade each time.


33. Conner Company

a. Tally sheet

| Type of Failure | Tally | Number of Rejected Boards |
|------------------------------|-------|---------------------------|
| A. Poor electrolyte coverage | | 12 |
| B. Lamination problems | | 6 |
| C. Low copper plating | | 26 |
| D. Plating separation | | 4 |
| E. Etching problems | | 2 |
| Total | 50 | 50 |

b. Pareto chart, from OM Explorer.





c. Cause-and-effect diagram (Note: several alternative ideas are possible here.)

CASE: SIMS METAL MANAGEMENT

A. Synopsis

Sims Metal Management is the world's leading metal & electronics recycler. With operations over the five continents and more than 90 years in business it has started to be concerned to the growing global issues of waste management and resource scarcity. The increased scarcity of natural resources together with the sustained demand from developing countries has raised commodity prices on metals; an upward trend projected to last 30 years. On the other hand, there is problem with the waste management and control of electronic substances where there are significant differences relating to the management of e-waste amongst nations. These diverse problems are been seen as an opportunity and challenge for Sims Metal thanks to its global recycling network and its specialized facilities.

The case provides students with the opportunity to analyze the different processes associated with the metal shredding process and the electronic waste recycling process and to discuss how operations, by looking to the long term, i.e. forecasting likely changes in the market and supply together with changes in the external environment, can give a competitive edge.

B. Purpose

The purpose of this case is to focus the student on issues relating to process strategy and to discuss how decisions involving process structure, customer involvement, resource flexibility, and capital intensity interact with different competitive priorities. Students need to resolve what it will take to compete effectively in each of Sims Metal's markets and how best to configure its processes. One needs to consider specific issues:

- 1. There are two distinct process taking place: one is the metal shredding process and the other one is the electronic waste recycling process. The students should diagram each process (see flowcharts in Chapter 4) and try to identify any weaknesses and provide improvement-actions that can be made in anticipation to external environment changes as well as to the future competition.
- 2. Both recycling process should view and analyzed from the business and elements sustainability point of view. Abundance must be considered alongside, and combined with, other considerations such as production costs, environmental effects, legislation issues and social impacts.
- 3. The different processes provide solutions to different needs. Metal recycling requires high volumes, thanks to the company's transportation network and its integrated operations, and low operating costs in order that the company remains price competitive. Electronic waste recycling, on the other hand, isn't as easy as recycling metal, as it requires careful treatment due to toxic metals and

chemicals (see second shredder), and because of the stringent requirements imposed by different nations; thus implying the adoption of more advanced recycling technologies to drastically reduce manual sorting in order to stimulate profitability and environmental practices.

C. Analysis

For the best results, the instructor should ask students to identify key issues and business problems presented in the case study outline and assess potential alternative business decisions. On the basis of these key elements students should be asked to draw appropriate conclusions.

Students should use the facts provided by the case to identify the key issue or issues in the case study and be able to explain how this affects the strategy or performance of the organization presented. Within this context students should explain why the problem occurred and whether it comes from a changing environment, new opportunities, new or declining market share, or inefficient internal or external business processes.

Subsequently, students shall list the courses of action presented in the case study and try to identify the managerial, organizational and technological factors that led to these courses of action. The identification and discussion of the constraints that mandated the solutions provided in the case study is highly recommended. In addition it is recommended for students to contribute potential alternative solutions to the problem(s) in the case study and the instructor shall encourage / mediate this action, by acting as a mediator.

Finally students shall argue whether the organization presented made the best business decisions and why other alternatives where omitted from the project portfolio. Given that there is no "right" decision, the instructor should encourage students to base their reasoning on the logical flow of the case study.

Analysis should include the following points:

- On one hand, SIM faces persistent pressure to improve its operations and invest in infrastructure due to environmental and legislator regulations something that can bring not only substantial benefits over time, but it can offer sustainable competitive advantage over rivals. In general, it is nearly always preferable to be proactive, in terms of infrastructure and support systems than to have to struggle to catch up later in an industry which is marked by considerable changes.
- On the other hand, it seems difficult to obtain success from making small improvements on a continuous basis, kaizen, in such an industry. Recycling industry, which is marked by considerable changes, needs break-through solutions and heavy investment. This was soon recognized by SIM which through a series of acquisitions trying to expand company's horizontal scope.
- Is process reengineering a necessary medicine needed here? To author's view not really. Get the strategy straight first and do not try to fix things that you shouldn't be done in the first place. If you take a long view at your business, as SIM management did, there is no need to involve in BPR practices. At the end, BPR is about operations and only strategy can tell which operations matter.

(Learning Goal 5: Compare and contrast the two commonly used strategies for change, and understand a systematic way to analyse and improve processes.)

• Good strategy execution, beyond allocating resources, requires high levels of operating efficiency as well as making sure that key activities are performed as effectively as possible. This again was well understood by Sims Metal Management which through an efficient supply chain and well-designed internal processes managed to sustain the fierce competition and to offer competitive prices on nonferrous metals (aluminium, brass, and copper) thanks to high recovery rates.

(Learning Goal 4: Discuss how process decisions should strategically fit together.)

• The scrap metal recycling industry is highly cyclical and is affected significantly by general economic conditions, moreover during recession periods or periods of slowing economic growth. This is best reflected by figure 2.21, which reveals a severe impact on operations, during 2009, as a result of global financial crisis and recession, as opposed to records profits during 2008. However, despite the drop in profits in 2009, there seems to be a constant revenue increase, see figure 2.22, due to various acquisitions, which is accompanied by a sharp profit increase, thanks to SIM's global recycling network and its geographically diverse business with a network of processing facilities throughout the world offering specialized recycling.

(Learning Goal 3: Explain the major process strategy decisions and their implications for operations.)

D. Recommendations

At this stage, early in an operations management course, specific recommendations will be difficult for students and should not be the primary focus. The instructor should look for general recommendations concerning the design and analysis of processes seeking answers to questions such as: (a) are the processes aligned with organizational strategy in order to achieve competitive advantage in terms of low cost (metal recycling) and business sustainability (legislation)? (b) do the processes have any non-value-adding steps that needed to be improved/eliminated (flow charts), (c) do the processes maximize customer value as perceived by the customers? and (d) will the whole organizational set-up be an order winner (No. 1 in UK)?

E. Teaching Strategy

This case is designed to be used early in the course. A primary focus is to expose the students to the concept of flowcharting processes (covered in greater detail in Chapter 4) and using these flowcharts to analyze the strengths and weaknesses of the processes. A second focus is to show the students how the external environment (legislation and natural environment) can influence a company's ability to compete on different competitive priorities. Students should realize that a clear and insightful diagnosis of a company's external environment is a crucial step in crafting strategies that are well matched to

industry and competitive conditions; in our case this necessitates process adaptation for continuous improvement in order to keep the company on the profitability trend (see fig. 2.21), thanks also to acquisitions.

For best results the instructor should assign this case as a homework assignment. Students should come to class prepared to share their process flow diagrams. The discussion then can follow along the lines of the discussion questions provided at the end of the case.

It is important to first make sure the students realize the extent of the influence of the external environment on the company; this means combining external analysis with internal analysis (in this case, processes) to take advantage of the new opportunities and to cope with emerging competitive threats.

The duration of teaching this case can range from 50 minutes to a 75-five-minute class discussion, if students share their flowcharts and the instructor divides the class into groups to develop the two flowcharts on the classroom board.

This is a good exercise for students to be involved in as they learn that flowcharts, even for seemingly simple processes, may be more difficult to develop than they thought.

CASE: JOSE'S AUTHENTIC MEXICAN RESTAURANT *

A. Synopsis

Jose's Authentic Mexican Restaurant is a small, independently owned local restaurant. Ivan, the waiter, has noticed a significant reduction in the size of tips, leading him to concerns about the quality of the food and service. The characteristics of the restaurant and the process that takes place in the restaurant are described following. Students are asked to think of the characteristics of this environment that define quality to the various players, identify the implied costs of quality, and apply some of the analysis tools provided in the text.

B. Purpose

This case provides a scenario to which students can relate. Nearly every student has eaten at a small ethnic restaurant, and you can count on their collective experience to flesh out the unspoken issues presented in the case. There is sufficient description of the process to spark considerable discussion as to how the nature of the process (and the internal customer chain) interacts with the external customer's perception of quality. The students need to develop definitions and measures of quality from several perspectives and then think of how to integrate these different views. A discussion of the restaurant's management has been purposefully excluded from this case so that the students can freely devise the interventions that should be taken to improve quality at Jose's.

C. Discussion

^{*} This case was prepared by Dr. Larry Meile, Boston College, as a basis for classroom discussion.

- 1. The first question, asking how quality is defined, is designed to get students to think of defining quality from the perspective of the various players. At a minimum, the students should be able to describe the external customers as the patrons (diners) and the internal customer chain as the cook and wait staff. Other expansions may be offered as well (hostess, management, busboys, other kitchen staff, suppliers, community, etc.). A partial list of factors is presented below. No doubt, your students will come up with many more characteristics that can be used to define quality.
 - A. To the external customers (the diners), quality is defined by their expectations. The case does not explicitly describe all of the following but much may be inferred by the students based on their experiences with restaurants. The customers can expect any or all of the following:
 - 1. Location and access (to be in a reasonably safe, aesthetically acceptable location, to be within walking distance, have adequate parking, be served by public or other transportation).
 - 2. Ambiance. The appearance of the facility should fit its place and purpose.
 - 3. Appropriate recognition on arrival (greeted by the hostess, apprised of any wait, seated in an acceptable location).
 - 4. Pleasant and attentive interaction with the wait staff (a greeting shortly after being seated, orders taken when *they* are ready, well-paced delivery of food items, periodic checks for additional needs, the bill presented when *they* are ready). Of course, determining the specific desires of each party is a particular challenge that must be met by the waiter. Do they want to speedily complete the meal and be on their way? Or, do they prefer a leisurely paced repast? Is the party in the mood for some light banter from the waiter or do they prefer to be left alone? This may be the quality characteristic over which Ivan has the most control.
 - 5. Good-tasting food served in an appealing fashion (taste, temperature, portion, presentation). This characteristic, if held constant, is probably most important for first-time patrons. Repeat patrons already know what they are in for.
 - 6. Conformance to regulatory agency guidelines. If the restaurant is open, it is assumed that it has been inspected and passed by the appropriate regulatory agencies.
 - 7. Value. The combination of all the preceding when price is factored in.
 - B. To the cook, an internal customer, quality is largely related to the work environment.
 - 1. The raw materials are available when needed, are fresh and tasty, have good appearance, are easy to prepare (perhaps even have some of the nasty tasks already completed—like prepeeled potatoes), and are consistent from purchase to purchase.
 - 2. The equipment is properly suited for the task, performs reliably (e.g., the oven is always at 350° when the dial is set to 350), is easy to use, and is laid out effectively.
 - 3. The environment is satisfactory; it is well lit and temperature controlled, coworkers and management offer respect, work load is reasonably level

(ideally there is no mealtime rush to contend with), working hours are acceptable, wages and benefits are competitive, salary is paid on time.

- C. To Ivan (also an internal customer), quality also relates to the workplace environment.
 - 1. The quality of the finished goods (the meals). The meal is the one described in the menu, it is of adequate portion, it is produced in a timely fashion, it tastes good, and it has a pleasant appearance.
 - 2. The serving equipment is appropriate, functional, and clean. The dishes, cups, glasses, tableware are clean and appropriate for the purpose. The tablecloth and seating area are clean and orderly. The waitstation has the appropriate equipment (coffeemaker, ice and water dispenser, etc.)
 - 3. The environment provides a place in which it is pleasant to work (many of the same issues as the cook, listed earlier).
- D. To the restaurant's management, quality is primarily related to the firm's image (in addition to the personal working environment issues faced by all employees).
 - 1. The restaurant's reputation in the community: viewed as an asset to the community, a community supporter, a source of gainful employment, a nonpolluter, a good neighbor.
 - 2. The restaurant's image in the eye of the consumer (diner): all of the customer's quality issues mentioned previously are met.
 - 3. The restaurant's image with governmental agencies: the health department finds little fault with its operation, fire codes are met, appropriate security measures have been taken, taxes are paid in full and on time.

Quality definitions can also be discussed by category:

- □ Customer-driven definitions of quality
- □ Conformance to specifications—food (weight, appearance, congruent with menu description), preparation time, meeting health regulations.
- □ Value—customers feel that the food, service, and ambiance are worth the price.
- □ Fitness for use—customers leave feeling well fed. Dietary concerns are met (low fat, low sodium, etc. where appropriate)
- □ Support (recovery from failure)—if something is not satisfactory, how is it rectified (issue recognized, apology offered, items quickly replaced, substitutes offered, bill adjusted, etc.)?
- □ Psychological impressions—the feeling the diner gets based on the atmosphere of the restaurant, the interactions with the staff, and the characteristics of the food.
- 2. Question two asks the students to list some of the costs of poor quality. Although specific values cannot be placed on them, conceptual sources of costs can be identified. Note that these can be viewed from the restaurant's perspective and from Ivan's perspective, and by shifting the view, the interventions (and costs) change. A short list of possible actions and costs is provided following:
- A. Prevention:
 - Restaurant: Purchase better food stock (dollars). Reject and reorder sub par supplies (time)

| | Set (and meet) food preparation standards (time) |
|----------------------|---|
| Ivan: | Cull out poorly prepared meals; ask for replacements (time) |
| B. Appraisal: | |
| Restaurant: | Inspect incoming food stock (time) |
| | Survey |
| Ivan: | Inspect meals prepared by the cook (time) |
| C. Internal failure: | |
| Restaurant: | Replace (or rework) rejected meals (time, dollars) |
| Ivan: | Help the cook get an order out faster (time) |
| D. External failure | : |
| Restaurant: | Unsatisfactory customer experience (dollars) |
| Ivan: | Poor-quality meal to be served to customer (dollars) |
| | |

3. Four of the quality tools are appropriate for Question Three. Checklists are already done. Results of the customer satisfaction survey are shown in the case. From this list a histogram or bar chart of the customer complaints can be made (see Exhibit TN.1) and a Pareto chart ranking them in importance can be constructed (see Exhibit TN.2).

It may be useful to ask the students if the survey results include all Jose's customers. The concept of nonresponse bias can be brought forth. Maybe long-time satisfied customers figure if nothing is wrong, no reply is needed. Maybe disgusted customers are so put out that they don't even want to take the time to help rectify the situation. They will simply vote with their feet and not return. Also note that the data collected clusters the results from both first-time and returning customers. Point out to the students that a great deal of information may be lost by not reporting these results separately.

Also ask the students about what information was *not* captured when a negative response was given to any of the customer survey questions. If they were not seated promptly, how long did they wait? If the waiter was not satisfactory, what was lacking? If the food was not enjoyable, what was the problem? Finally, if the dining experience was not worth the cost, what needs to be changed?

A cause-and-effect (fishbone) diagram (see Exhibit TN.3) can be constructed from the results of the survey, the information given in the text of the case, and some assumptions about the behavior of the restaurant (as suggested by the students from their dining experiences).

D. Recommendations

Although no specific recommendations are called for, the students should be pressed to think of what Ivan can do to improve his situation. The concept of employee involvement (one of the elements of the TQM Wheel) can be discussed here. This case provides a reverse view of the material discussed in the chapter. The chapter talks of management's challenge in establishing appropriate cultural change (including awareness of the voice of the customer, advocating the concept of an internal customer chain, and quality at the source), promoting individual development, and creating effective awards and incentives. All of these issues can be viewed from Ivan's perspective and point out the frustrations experienced by employees if good quality management is not practiced.

E. Teaching Suggestions

It is effective to ask the students to read this case before the discussion of the material in the chapter. The case then can act as a common situation that can be used when lecturing on the various quality topics. As the topics addressed by the questions at the end of the case are covered by lecture, the students can be asked to respond to them as part of the classroom discussion.

If the case is used after the chapter material has been covered, it can be used as a coldcall case or it can be assigned for preparation before discussion in class. If prior preparation is done, it may be effective to have the students answer the questions by themselves and then meet as small groups to consolidate their ideas. When discussing the costs of poor quality, it may be useful to provide a table for the students on the board or on an overhead transparency listing the four costs and providing two columns, one for the restaurant and one for Ivan as follows:

| | Restaurant | Ivan |
|------------------|------------|------|
| Prevention | | |
| Appraisal | | |
| Internal failure | | |
| External failure | | |

Possible points for discussion (those points in italics are covered in the preceding discussion):

Customer-driven definitions of quality Conformance to specifications Value Fitness for use Support (recovery from failure) Psychological Impressions Quality as a competitive weapon Employee involvement Customer definition External Internal Continuous improvement Plan-do-act-check cycle Costs of poor quality Prevention Appraisal Internal failure External failure Improvement through TQM Benchmarking (Not done within the case but the concept could be discussed.) Product/service design Reliability *Tools for improving quality Checklists (customer satisfaction survey)* Histograms/bar charts Pareto charts Cause-and-effect (fishbone) diagram

| EXHIBIT TN.1 | A Bar Chart of the Customer Complaints from the Customer Satisfaction |
|--------------|---|
| | Survey Shown in the Case |

| Were you seated promptly? | Yes | 70 | No | 13 |
|--|-----|----|----|----|
| Was your waiter satisfactory? | Yes | 73 | No | 10 |
| Were you served in a reasonable time? | Yes | 58 | No | 25 |
| Was your food enjoyable? | Yes | 72 | No | 11 |
| Was your dining experience worth the cost? | Yes | 67 | No | 16 |






EXHIBIT TN.2

A Pareto Chart Ranking Customer Complaints





Alternate survey:

1 = Completely Satisfied; 5 = Extremely Dissatisfied

| How satisfied were you with | Customer survey results (Number of replies to each response option) | | | | | |
|-----------------------------|--|----|----|----|----|--|
| | 1 | 2 | 3 | 4 | 5 | |
| Promptness of seating | 129 | 63 | 19 | 14 | 9 | |
| Service of your waiter | 134 | 56 | 31 | 0 | 14 | |
| Speed of service | 110 | 45 | 40 | 9 | 31 | |
| Enjoyability of food | 122 | 52 | 31 | 16 | 14 | |
| Price of dinner | 129 | 71 | 19 | 2 | 14 | |

ADDITIONAL CASE IN myomlab

CASE: THE FACILITIES MAINTENANCE PROBLEM AT MIDWEST UNIVERSITY *

A. Synopsis

This case describes the problems facing a medium-sized university, Midwest University, as it tries to maintain 60 buildings on campus. The specific problem is slow response time in completing work-order requests. The facilities maintenance area is organized, structured, and scheduled around skilled craft areas. The issue facing Sean Allen, manager of the facilities area, is how to organize and manage his personnel to reduce this poor response time.

B. Purpose

The focus of this case is to highlight the importance that job design plays in the delivery of a quality service package. As it now stands, the facilities maintenance area at Midwest University is organized around craft functions, in much the same way most traditional organizations are organized around finance, marketing, and operations. The problem is that the processes necessary to provide a quality service require coordination and integration across the skilled crafts. This leads to the necessity of redesigning the way work is to be completed. The issues of job design brought out in the case include:

- 1. Movement from a vertical organizational structure to a multicraft team-oriented, horizontal organization
- 2. Use of enlargement, rotation, and enrichment as jobs are redesigned
- 3. Training requirements necessary to support the new job designs
- 4. Measuring the performance of the new organizational structure and providing appropriate recognition

C. Analysis

The analysis and class discussion should begin by focusing on the issue of why facilities maintenance is providing such poor response times to work-order requests. Students who have ever lived on campus will readily identify with this problem. Five- to ten-day lead times for work requests that, for the most part, take less than one hour do seem a little absurd. The analysis of the problem should focus on the key factors that contribute to this poor performance. Students should quickly be able to identify the following three factors:

1. The difficulty in prioritizing work-order requests across both crafts and buildings for scheduling purposes

^{*} This case was prepared by Dr. Brooke Saladin, Wake Forest University, as a basis for classroom discussion.

- 2. The frequent need to involve more than one craft in order to complete the workorder request
- 3. The geographical dispersion of 60 different buildings that need to be maintained As the problem-identification discussion continues, students may add other factors to these three. The instructor's job here is to bring the students to the realization that the top-down scheduling of work-order requests across crafts and 60 different buildings is a very complex and integrative process. Students should begin to realize that poor lead-time performance is actually a symptom of a much larger problem, that is, the conflicts that are present by having a "functional silo" orientation to job design when the performance of the job to meet customer requirements calls for a multidisciplinary team approach. The rest of the analysis should focus on the seven key elements of job design for horizontal organizations:
 - 1. *Organize around processes:* Ask students to identify the core processes that are critical to the success of the facilities maintenance area. Key processes identified should include:
 - Order receipt and processing
 - □ Work scheduling and dispatching
 - □ Physical maintenance and repair
 - 2. *Flatten the organizational hierarchy:* Supervision can be reduced by breaking down the "functional craft silos" and the inherent managerial redundancy created by each craft managing itself.
 - 3. *Teams manage the organization:* Teams can be organized around the core processes identified in point #1. Another factor to consider is the geographical dispersion of the buildings on campus. Teams could be organized not only as multicraft maintenance and repair groups but also around specific geographical areas of the campus. Teams could then receive, schedule, and repair their own work requests over a designated number of buildings. This would push responsibility through the teams and help alleviate the problem of travel across campus.
 - 4. *Customers drive performance:* By having teams assigned to specific buildings, relationships that would enhance the teams' knowledge of customer requirements could be developed. Specific measures of customer satisfaction would need to be developed.
 - 5. *Management rewards team per performance:* This structure naturally leads to cross-training opportunities for which team members could be rewarded. Other measures, such as number of work requests completed per time period, average time to complete a work request, and customer satisfaction index ranking, need to be established to evaluate the performance of the team as a whole.
 - 6. *Supplies and customer contact:* Geographical assignments will help foster customer contact. This decentralization may, however, remove the teams from maintenance and repair suppliers.

Full Download: http://alibabadownload.com/product/operations-management-processes-and-supply-chains-global-11th-edition-kra

Process Strategy and Analysis • CHAPTER 2 • 2-39

7. *Training programs for all employees:* Training should not only include the opportunity for cross-craft skill training but should also look at communication, team building, process improvement, problem solving, and administrative skills.

D. Recommendations

The instructor should focus the students on looking at the "big picture" in making recommendations with respect to job design. Students should address the issue of moving toward a horizontal organization and away from the traditional, vertically oriented craft silos. Their recommendations should encompass each of the seven key factors of job design.

As a side note, the manager of facilities maintenance actually created crossfunctional craft teams and assigned these teams to specific areas of the campus. Individual teams were responsible for scheduling and completing work within their own assigned geographical area. The custodial staff was also integrated into the team, which helped in planning and completing routine maintenance. The teams were able to become familiar with both their "customers" and the individual needs of the buildings in their area. Response times have been drastically reduced, with 50% of the requests getting same-day service and 80% of the work-order requests getting next-day service. Large requests that exceed the resources of an individual team are still coordinated by the main office.

E. Teaching Strategy

This is a short cold-call case that is positioned to get students thinking about the impact job design has on an organization's ability to satisfy customer needs. Students should draw not only from the material on teams in Chapter 5, "Quality and Performance", but also from the concepts in Chapter 3, "Process Strategy".

If you like using groups, this case can be effectively discussed by breaking the class into groups and giving them 15 to 20 minutes to brainstorm alternative approaches to reducing the response time to work-order requests. Then get them back together and go around to each group for a report on what they brainstormed, putting each group's responses on the board. Compare and contrast the similarities and differences in each group's approach.

The instructor should take the last 10 to 15 minutes to categorize the group's responses on the board with respect to the major concepts of the chapter. Indicate which alternatives focus on each of the seven key factors of job design; which responses deal with enlargement, rotation, or enrichment; which focus on the development of standards, training needs, or incentive plans. By doing this summary, the instructor has the opportunity to tie the concepts of job design together into an integrated whole. You can conclude by describing briefly what actually happened as presented in the recommendation section.